



International  
Scientific Conference



# Algebraic and Geometric Methods of Analysis



Devoted to 160 anniversary of  
**Dvytro Grave**  
(25.08.1863 - 19.12.1939)  
Academician of the Ukrainian  
Academy of Sciences, the  
first director of the Institute of  
Mathematics of NAS of Ukraine

May 29 – June 1, 2023  
Odesa, Ukraine

## LIST OF TOPICS

- Algebraic methods in geometry
- Differential geometry in the large
- Geometry and topology of differentiable manifolds
- General and algebraic topology
- Dynamical systems and their applications
- Geometric and topological methods in natural sciences
- Geometric problems in mathematical analysis

## ORGANIZERS

- Ministry of Education and Science of Ukraine
- Odesa National University of Technology
- Institute of Mathematics of the National Academy of Sciences of Ukraine
- Taras Shevchenko National University of Kyiv
- Kyiv Mathematical Society

## SCIENTIFIC COMMITTEE

- |  |   |
|--|---|
| • <b>Bolotov D.</b> ( <i>Kharkiv, Ukraine</i> )  | • <b>Konovenko N.</b> ( <i>Odesa, Ukraine</i> )   |
| • <b>Bondarenko V.</b> ( <i>Kyiv, Ukraine</i> )  | • <b>Maksymenko S.</b> ( <i>Kyiv, Ukraine</i> )   |
| • <b>Boychuk O.</b> ( <i>Kyiv, Ukraine</i> )     | • <b>Mikhailets V.</b> ( <i>Kyiv, Ukraine</i> )   |
| • <b>Boyko V.</b> ( <i>Kyiv, Ukraine</i> )       | • <b>Ostrovskiy V.</b> ( <i>Kyiv, Ukraine</i> )   |
| • <b>Cherevko Ye.</b> ( <i>Odesa, Ukraine</i> )  | • <b>Petravchuk A.</b> ( <i>Kyiv, Ukraine</i> )   |
| • <b>Dorogovtsev A.</b> ( <i>Kyiv, Ukraine</i> ) | • <b>Plaksa S.</b> ( <i>Kyiv, Ukraine</i> )       |
| • <b>Drozd Yu.</b> ( <i>Kyiv, Ukraine</i> )      | • <b>Portenko M.</b> ( <i>Kyiv, Ukraine</i> )     |
| • <b>Gerasymenko V.</b> ( <i>Kyiv, Ukraine</i> ) | • <b>Pratsiovytyi M.</b> ( <i>Kyiv, Ukraine</i> ) |
| • <b>Fedchenko Yu.</b> ( <i>Odesa, Ukraine</i> ) | • <b>Savchenko O.</b> ( <i>Kherson, Ukraine</i> ) |
| • <b>Kiosak V.</b> ( <i>Odesa, Ukraine</i> )     | • <b>Romanyuk A.</b> ( <i>Kyiv, Ukraine</i> )     |
| • <b>Kochubei A.</b> ( <i>Kyiv, Ukraine</i> )    | • <b>Timokha O.</b> ( <i>Kyiv, Ukraine</i> )      |

## ORGANIZING COMMITTEE

- |  |   |
|--|---|
| • <b>Maksymenko S.</b> ( <i>Kyiv, Ukraine</i> )  | • <b>Cherevko Ye.</b> ( <i>Odesa, Ukraine</i> ) |
| • <b>Konovenko N.</b> ( <i>Odesa, Ukraine</i> )  | • <b>Osadchuk Ye.</b> ( <i>Odesa, Ukraine</i> ) |
| • <b>Fedchenko Yu.</b> ( <i>Odesa, Ukraine</i> ) | • <b>Sergeeva O.</b> ( <i>Odesa, Ukraine</i> )  |

- [3] Michihiro Naka, Masatoshi Nozaki. Singular Calabi-Yau Manifolds and ADE Classification of CFTs. *Nucl.Phys.*, B599: 334–360, 2001.

## On critical submanifolds of the Willmore energy in four dimensions

Peter Olamide Olanipekun

(The University of Auckland)

*E-mail:* peter.olanipekun@auckland.ac.nz, olanipekunp@gmail.com

We establish a rigidity result for the critical points, with boundary, of the four dimensional Willmore energy (see [13] where this energy was studied from analytical standpoint). These critical points satisfy a 4-Willmore equation which is a sixth order nonlinear elliptic partial differential equation. We establish several curvature estimates and prove that four dimensional Willmore submanifold with totally geodesic boundary condition are umbilic.

The rigidity of several kinds of submanifolds has been widely studied in literature under different contexts. For instance, while some rigidity results for manifolds with bounded Ricci curvature were obtained in [2] other studies have focused on minimal submanifolds [3, 5, 6, 7, 11, 14, 16], critical points of the Willmore functional [8, 9, 10] and hypersurfaces of constant weighted mean curvature [1, 4, 15]. In [12], McCoy and Wheeler considered surfaces  $\Sigma$  immersed into  $\mathbb{R}^3$  which are critical points of the functional

$$\int_{\Sigma} |\nabla H|^2 d\mu$$

and whose second fundamental form satisfies the smallness condition

$$\int_{\Sigma} |h|^2 d\mu \leq \varepsilon$$

where  $\varepsilon$  is a small universal constant. They obtained the following result.

**Theorem 1.** *Let  $f : \Sigma \rightarrow \mathbb{R}^3$  be an immersion satisfying*

$$\Delta^2 H + |h|^2 \Delta H - (h_0)^{ij} \nabla_i H \nabla_j H = 0$$

*with the boundary conditions*

$$|h| = 0 \quad \text{and} \quad \nabla_{\eta} H = \nabla_{\eta} \Delta H = 0.$$

*If  $f$  also satisfies  $\int_{\Sigma} |h|^2 d\mu \leq \varepsilon$  for some sufficiently small  $\varepsilon > 0$ , then the immersed surface  $f(\Sigma)$  is part of a flat plane, where  $\eta$  is the unit conormal to the boundary of  $\Sigma$ .*

Our main result is the following rigidity theorem for critical points of the energy  $\mathcal{E}(\Sigma)$ .

**Theorem 2.** *Let  $\vec{\Phi} : \Sigma \rightarrow \mathbb{R}^m$  be an immersion of a 4-dimensional manifold  $\Sigma$  satisfying  $\int_{\Sigma} |\vec{h}|^2 d\mu \leq \varepsilon$  and  $\int_{\Sigma} |\vec{h}|^4 d\mu \leq \varepsilon$  for some sufficiently small  $\varepsilon > 0$ . If  $\vec{\Phi}$  also satisfies*

$$\vec{\mathcal{W}} = \vec{0} \tag{1}$$

*together with the boundary conditions*

$$\pi_{\vec{\eta}} \nabla \Delta_{\perp} \vec{H} = \pi_{\vec{\eta}} \nabla \vec{H} = \vec{0} \quad \text{and} \quad \vec{h} = \vec{0} \tag{2}$$

where

$$\begin{aligned} \vec{\mathcal{W}} := & -\frac{1}{2}\Delta_{\perp}^2 \vec{H} - \frac{1}{2}(\vec{h}_{ik} \cdot \Delta_{\perp} \vec{H})\vec{h}^{ik} - 4|\pi_{\vec{n}}\nabla \vec{H}|^2 \vec{H} + 2\pi_{\vec{n}}\nabla_j((\vec{h}_i^j \cdot \nabla^i \vec{H})\vec{H}) - 2\pi_{\vec{n}}\nabla_j((\vec{H} \cdot \vec{h}_i^j)\pi_{\vec{n}}\nabla^i \vec{H}) \\ & + 2(\pi_{\vec{n}}\nabla_i \vec{H} \cdot \pi_{\vec{n}}\nabla_j \vec{H})\vec{h}^{ij} - \frac{1}{2}\Delta_{\perp}((\vec{H} \cdot \vec{h}^{ij})\vec{h}_{ij}) - 2\pi_{\vec{n}}\nabla_i \nabla_k((\vec{H} \cdot \vec{h}^{ik})\vec{H}) - 28|\vec{H}|^4 \vec{H} \\ & - \frac{1}{2}(\vec{H} \cdot \vec{h}^{ij})(\vec{h}_{ij} \cdot \vec{h}_{pq})\vec{h}^{pq} - 4(\vec{H} \cdot \vec{h}_{ij})(\vec{H} \cdot \vec{h}_k^i)\vec{h}^{jk} + 4|\vec{H} \cdot \vec{h}|^2 \vec{H} + 7\Delta_{\perp}(|\vec{H}|^2 \vec{H}) + 7|\vec{H}|^2(\vec{H} \cdot \vec{h}_{ij})\vec{h}^{ij} \end{aligned}$$

then the submanifold  $\Sigma$  is umbilic with totally geodesic boundary.

Note that the Willmore equation (1) is a sixth order nonlinear partial differential equation.

## REFERENCES

- [1] S. Ancari and I. Miranda, Rigidity theorems for complete  $\lambda$ -hypersurfaces, *Archiv der Mathematik*, **117**, 105-120, 2021.
- [2] M.T. Anderson, Convergence and rigidity of manifolds under Ricci curvature bounds, *Invent. Math.* **102**(2): 429-445, 1990.
- [3] G-Q.G. Chen, S. Li, Global weak rigidity of the Gauss–Codazzi–Ricci equations and isometric immersions of Riemannian manifolds with lower regularity, *J. Geom. Anal.*, **28**:1957–2007, 2018, doi.org/10.1007/s12220-017-9893-1.
- [4] Q-M. Cheng, S. Ogata, G. Wei, Rigidity theorems of  $\lambda$ -hypersurfaces. *Comm. Anal. Geom.* **24**(1), 45-58, 2016.
- [5] S.S. Chern, M. do Carmo, S. Kobayashi, Minimal submanifolds of a sphere with second fundamental form of constant length. In: *Proceedings of a Conference for M. Stone, University of Chicago, Chicago, III., 1968, Functional Analysis and Related Fields*, pp. 59–75. Springer, New York, 1970.
- [6] D. Fetcu, E. Loubeau, and C. Oniciuc, Bochner–Simons Formulas and the Rigidity of Biharmonic Submanifolds, *The Journal of Geometric Analysis*, **31**, 1732–1755, 2021.
- [7] D. Fischer-Colbrie, Some rigidity theorems for minimal submanifolds of the sphere, *Acta Math.* **145**(1–2), 29-46, 1980.
- [8] E. Kuwert and R. Schätzle, Gradient flow for the Willmore functional, *Communications in Contemporary Mathematics*, **10**(02): 307-339, 2002.
- [9] T. Lamm, H. T. Nguyen, Quantitative rigidity results for conformal immersions, *American Journal of Mathematics*, **136**, (5): 1409-1440, 2014.
- [10] T. Lamm, R.M. Schätzle, Optimal rigidity estimates for nearly umbilical surfaces in arbitrary codimension, *Geometric and Functional Analysis*, **24**, 2029–2062, 2014.
- [11] H.B. Lawson Jr., Local rigidity theorems for minimal hypersurfaces. *Ann. of Math.* (2) **89**, 187–197, 1969.
- [12] J. McCoy, G. Wheeler, A rigidity theorem for ideal surfaces with flat boundary, *Annals of Global Analysis and Geometry*, **57**: 1-13, 2020.
- [13] P.O. Olanipekun, Study of a four dimensional Willmore energy, *PhD Thesis*, Monash University, Melbourne, Australia, 2021, arXiv:2210.05924
- [14] R.C. Reilly, Extrinsic rigidity theorems for compact submanifolds of the sphere. *J. Differential Geom.* **4**, 487-497, 1970.
- [15] S. Shu, Curvature and rigidity of Willmore submanifolds, *Tsukuba J. Math.*, **31**(1): 175-196, 2007.
- [16] J. Simons, Minimal varieties in Riemannian manifolds, *Ann. of Math.* **88**(2): 62-105, 1968.

<b>E. Lytvynov</b> <i>Lie structures of the Sheffer group over a Hilbert space</i>	<b>58</b>
<b>R. El Maaouy, D. Bennis, L. Oyonarte, J. R. G. Rozas</b> <i>The Gorenstein flat model structure relative to a semidualizing module</i>	<b>60</b>
<b>O. Makarchuk</b> <i>On the structure of the distribution of one random series.</i>	<b>61</b>
<b>S. Maksymneko</b> <i>Homotopy types of diffeomorphisms groups of simplest Morse-Bott foliations on lens spaces</i>	<b>62</b>
<b>Iu. Marko</b> <i>Spaces of idempotent measures with countable support</i>	<b>62</b>
<b>S. Marouaniv</b> <i>SKT hyperbolic and Gauduchon hyperbolic compact complex manifolds</i>	<b>63</b>
<b>N. Mazurenko, M. Zarichnyi</b> <i>Invariant <math>*</math>-measures</i>	<b>66</b>
<b>M. Mhamdi</b> <i>Hölder Continuity of Generalized Harmonic Functions in the Unit Disc</i>	<b>67</b>
<b>Ł. Michalak</b> <i>Reeb graph invariants of Morse functions, manifolds and groups</i>	<b>69</b>
<b>P. Mormul</b> <i>Car+trailers' systems are locally nilpotentizable (a Trieste 2000 conference revisited)</i>	<b>70</b>
<b>J. Morris</b> <i>Degree theory for proper <math>C^1</math> Fredholm mappings with applications to boundary value problems on the half line</i>	<b>70</b>
<b>S. Myroshnychenko, K. Tatarko, V. Yaskin</b> <i>How far apart can the projection of the centroid of a convex body and the centroid of its projection be?</i>	<b>71</b>
<b>M. Nesterenko</b> <i>Contractions of representations and realizations of Lie algebras</i>	<b>73</b>
<b>Yu. Nikolayevsky</b> <i>Geodesic orbit pseudo Riemannian nilmanifolds</i>	<b>74</b>
<b>Z. Novosad, A. Zagorodnyuk</b> <i>The conditions of hypercyclicity of weighted backward shifts</i>	<b>75</b>
<b>T. Obikhod</b> <i>Studying the properties of a superpotential using algebraic equations</i>	<b>76</b>
<b>P. O. Olanipekun</b> <i>On critical submanifolds of the Willmore energy in four dimensions</i>	<b>78</b>
<b>I. Ovtsynov</b> <i>Fermat–Torricelli sets of finite sets of points in Euclidean plane</i>	<b>80</b>
<b>C. A. Pallikaros</b> <i>Degenerations of complex associative algebras of dimension three</i>	<b>82</b>
<b>J. F. Peters, F. Peu, J. Zia</b> <i>Several forms of the geometric Lusternik-Schnirel'mann category</i>	<b>82</b>