

International
Online Conference



**Algebraic
and Geometric
Methods of Analysis**

dedicate to the memory
of Yuriy Trokhymchuk
(17.03.1928-18.12.2019)

May 25-28, 2021
Odesa, Ukraine

LIST OF TOPICS

- Topological methods in analysis
- Geometric problems of complex and mathematical analysis
- Algebraic methods in geometry
- Differential geometry in the whole
- Geometry and topology of differentiable manifolds
- General and algebraic topology
- Geometric and topological methods in natural sciences

ORGANIZERS

- Ministry of Education and Science of Ukraine
- Odesa National Academy of Food Technologies
- Institute of Mathematics of the National Academy of Sciences of Ukraine
- Taras Shevchenko National University of Kyiv
- International Geometry Center
- Kyiv Mathematical Society

SCIENTIFIC COMMITTEE

Drozd Yu.

(Kyiv, Ukraine)

Maksymenko S.

(Kyiv, Ukraine)

Plaksa S.

(Kyiv, Ukraine)

Prishlyak A.

(Kyiv, Ukraine)

Bakhtin O.

(Kyiv, Ukraine)

Balan V.

(Bucharest, Romania)

Banakh T.

(Lviv, Ukraine)

Borysenko O.

(Kharkiv, Ukraine)

Cherevko Ye.

(Odesa, Ukraine)

Fedchenko Yu.

(Odesa, Ukraine)

Karlova O.

(Chernivtsi, Ukraine)

Kiosak V.

(Odessa, Ukraine)

Konovenko N.

(Odessa, Ukraine)

Lyubashenko V.

(Kyiv, Ukraine)

Matsumoto K.

(Yamagata, Japan)

Mormul P.

(Warsaw, Poland)

Mykhailyuk V.

(Chernivtsi, Ukraine)

Plachta L.

(Krakov, Poland)

Pokas S.

(Odessa, Ukraine)

Sabitov I.

(Moscow, Russia)

Savchenko O.

(Kherson, Ukraine)

Sergeeva A.

(Odessa, Ukraine)

Shelekhov A.

(Tver, Russia)

Zarichnyi M.

(Lviv, Ukraine)

ADMINISTRATIVE COMMITTEE

- Egorov B., chairman, rector of the ONAFT;
- Povarova N., deputy chairman, Pro-rector for scientific work of the ONAFT;
- Mardar M., Pro-rector for scientific-pedagogical work and international communications of the ONAFT;
- Fedosov S., Director of the International Cooperation Center of the ONAFT;
- Kotlik S., Director of the P.M. Platonov Educational-scientific institute of computer systems and technologies "Industry 4.0";
- Lishchenko N. Dean of faculty of the computer systems and automation ONAFT

ORGANIZING COMMITTEE

Cherevko Ye.
Eftekharinasab K.
Fedchenko Yu.
Feshchenko B.
Khohlyk O.

Klishchuk B.
Konovenko N.
Kravchenko A.
Kuznietsova I.
Maksymenko S.

Osadchuk E.
Plakosh A.
Prus A.
Sergeeva A.
Soroka Yu.

On some properties of moduli of smoothness of conformal mapping of simply connected domains

Olena Karupu

(National aviation university, Kyiv)

E-mail: karupu@ukr.net

Let consider a function realizing homeomorphism of the closed unit disk onto the closure of simply connected domain in the complex plane bounded by a smooth Jordan curve conformal in the open unit disk. Let suppose that boundary of this domain is characterized by the angle between the tangent to the curve and the positive real axis considered as the function of the arc length on the curve.

O. D. Kellogg in 1912 proved the theorem in which it had been established that if this angle function satisfies Holder condition, then the derivative of the function realizing mapping of unit disk onto the closure of the given domain satisfies Holder condition with the same index. Connection between properties of the boundary of the domain and properties of the considered function was investigated in works by numerous authors: S. E. Warshawski, J. L. Geronimus, S. J. Alper, R. N. Kovalchuk, L. I. Kolesnik, P. M. Tamrazov (more detailed see [1–3], [5] and [6]). Some close problems were investigated by V. A. Danilov, E. P. Dolzenko, E. M. Dynkin, N. A. Shirokov, S. R. Bell and S. G. Krantz, V. V. Andrievskii, V. I. Belyi, B. Oktay, D. M. Israfilov and others (more detailed see [3–5] and [7]).

Certain results in terms of moduli of smoothness of different types (uniform curvilinear, arithmetic, local and integral moduli of smoothness of arbitrary order) were received by author. In particular, some estimates for integral moduli of smoothness were considered in [4–6].

Let $\omega_{k,z}(f(z), \delta)$ be a noncentralized local arithmetic modulus of smoothness of order k ($k \in \mathbb{N}$) of the function $w = f(z)$ at a point z on the curve γ [1]. Let consider the integral modulus of smoothness of order k for the function $w = f(z)$ on the curve γ introduced in [2] by the formula

$$\widehat{\omega}_k(f(z), \delta) = \left(\int_{\gamma} [\omega_{k,z}(f(z), \delta)]^p d\lambda(z) \right)^{1/p}, \quad 1 \leq p < +\infty, \quad k \in \mathbb{N},$$

where $\lambda = \lambda(z)$ is the linear

Lebesgue's measure on the curve.

Let G_1 and G_2 be the simply connected domains in the complex plane bounded by the smooth Jordan curves Γ_1 and Γ_2 . Let $\tau_1(s_1)$ be the angle between the tangent to Γ_1 and the positive real axis, $s_1(z)$ be the arc length on Γ_1 . Let $\tau_2(s_2)$ be the angle between the tangent to Γ_2 and the positive real axis, $s_2(w)$ be the arc length on Γ_2 . Let $w = f(z)$ be a homeomorphism of the closure $\overline{G_1}$ of the domain G_1 onto the closure $\overline{G_2}$ of the domain G_2 , conformal in open domain G_1 .

Theorem 1 ([5]). *If integral moduli of smoothness $\widehat{\omega}_k(\tau_1(s_1), \delta)$ and $\widehat{\omega}_k(\tau_2(s_2), \delta)$ of order k ($k \in \mathbb{N}$) for the functions $\tau_1(s_1)$ and $\tau_2(s_2)$ satisfy Holder condition $\widehat{\omega}_k(\tau_1(s_1), \delta) = O(\delta^\alpha)$ ($\delta \rightarrow 0$) and $\widehat{\omega}_k(\tau_2(s_2), \delta) = O(\delta^\alpha)$ ($\delta \rightarrow 0$), with the same index α , $0 < \alpha < k$, then integral modulus of smoothness $\widehat{\omega}_k(f'(z), \delta)$ of the derivative of the function $f(z)$ on Γ_1 satisfies Holder condition $\widehat{\omega}_k(f'(z), \delta) = O(\delta^\alpha)$ ($\delta \rightarrow 0$) with the same index α .*

Theorem 2 ([6]). *If integral moduli of smoothness $\widehat{\omega}_k(\tau_1(s_1), \delta)$ and $\widehat{\omega}_k(\tau_2(s_2), \delta)$ of order k ($k \in \mathbb{N}$) for the functions $\tau_1(s_1)$ and $\tau_2(s_2)$ satisfy condition $\widehat{\omega}_k(\tau_1(s_1), \delta) = O(\delta^k \log \frac{1}{\delta})$ ($\delta \rightarrow 0$) and $\widehat{\omega}_k(\tau_2(s_2), \delta) = O(\delta^k \log \frac{1}{\delta})$ ($\delta \rightarrow 0$), then integral modulus of smoothness $\widehat{\omega}_k(f'(z), \delta)$ of the derivative of the function $f(z)$ on Γ_1 satisfies condition $\widehat{\omega}_k(f'(z), \delta) = O(\delta^k \log \frac{1}{\delta})$ ($\delta \rightarrow 0$).*

Theorem 3. *Let integral moduli of smoothness $\widehat{\omega}_k(\tau_1(s_1), \delta)$ and $\widehat{\omega}_k(\tau_2(s_2), \delta)$ of order k ($k \in \mathbb{N}$) for the functions $\tau_1(s_1)$ and $\tau_2(s_2)$ satisfy conditions $\widehat{\omega}_k(\tau_1(s_1), \delta) = O(\omega(\delta))$ ($\delta \rightarrow 0$) and*

$\widehat{\omega}_k(\tau_2(s_2), \delta) = O(\omega(\delta))$ ($\delta \rightarrow 0$), where $\omega(\delta)$ is normal majorant satisfying the condition $\int_0^l \frac{\omega(t)}{t} dt < +\infty$. Then integral modulus of smoothness $\widehat{\omega}_k(f(z), \delta)$ of the function $f(z)$ on Γ_1 satisfies the condition $\widehat{\omega}_k(f(z), \delta) = O(\sigma(\delta))$ ($\delta \rightarrow 0$), where $\sigma(\delta)$ is some integral majorant.

REFERENCES

- [1] P. M. Tamrazov. *Smoothnesses and polynomial approximations*. Kyiv : Naukova dumka, 1975. [in Russian]
- [2] P. M. Tamrazov. *Finite difference identities and estimates for moduli of smoothness of composite functions*. Kyiv : Institute of mathematics, 1977. [in Russian]
- [3] P. M. Tamrazov. Structural and Approximational Properties of Functions in the Complex Domain. In: P. L. Butzer, B. Szökefalvi-Nagy (eds). *Linear Spaces and Approximation*, volume 40 of *International Series of Numerical Mathematics*. Birkhäuser Basel, 1978.
- [4] O. W. Karupu. On finite-difference smoothness of conformal mapping. *Progress in Analysis and its Applications: Proceedings of the 7th International ISAAC Congress (London, July 13 -17, 2009)*, P. 53-58. Singapore: World Scientific, 2010.
- [5] O. W. Karupu. On some properties of integral moduli of smoothness of conformal mappings. *Bulletin de la société des sciences et des lettres de Łódź. Recherches sur les déformations*, LXII (2) : 111-116, 2012.
- [6] O. W. Karupu. Properties of integral moduli of smoothness of conformal mappings of simply connected domains. *Proc. of the Institute of Mathematics, NAS of Ukraine*, 10 (4-5) : 565-569, 2013. [in Ukrainian]
- [7] O. W. Karupu. On some boundary properties of conformal mappings of simply connected domains. *Aviation in the XXI-st century: Proceedings of the Eighth World Congress (Kyiv, October 12 - 15, 2018)*, 4 : 4.3.11-4.3.14. Kyiv, 2018.

I. Gelbukh <i>Realization of a graph as the Reeb graph of a Morse, Morse–Bott or round function</i>	38
N. Glazunov <i>Foliations in moduli spaces of abelian varieties and bounded global G-shtukas</i>	40
A. Glebova <i>Geometry of curves in three-dimensional space and invariants of nonlinear differential equations of the second order</i>	41
P. Petrenko, A. Andreev <i>On Orthosymmetric n-morphisms</i>	42
M. Golasinski <i>On homotopy nilpotency of Moore space</i>	43
E. Afanas'eva, A. Golberg <i>Metric viewpoint in mapping theory between Riemannian manifolds</i>	45
S. V. Gryshchuk <i>Monogenic functions with values in commutative complex algebras of the second rank with unity and generalized biharmonic equation with non-zero simple characteristics</i>	46
A. Guale, J. Vielma <i>The Collatz conjecture from an algebraic point of view</i>	47
O. Gutik, P. Khylynskyi <i>On the monoid of cofinite partial isometries of positive integers with a bounded finite noise</i>	48
O. Gutik, M. Mykhalenych <i>On some generalization of the bicyclic monoid</i>	50
Y. Gutman <i>Variational principles for metric mean dimension</i>	51
O. Ye. Hentosh, A. K. Prykarpatski <i>A generalized Lie-algebraic approach to constructing of integrable fractional dynamical systems</i>	52
L. Yanovich, M. Ignatenko <i>On the solution of separate differential equations with variational derivatives of the first and second orders</i>	54
Sh. Sh. Ismoilov <i>Special mean and total curvature of a dual surface in isotropic spaces</i>	57
D. Jumaev, A. Zaitov <i>A topological transformation group of a hyperspace</i>	59
D. A. Juraev <i>On the Carleman function for matrix factorizations of the Helmholtz equation</i>	62
A. Kachurovskii <i>Measuring the rate of convergence in the Birkhoff ergodic theorem</i>	64
O. Kadubov's'kyi <i>Enumeration of topologically non-equivalent functions with one degenerate saddle critical point on triple torus</i>	65
O. Karupu <i>On some properties of moduli of smoothness of conformal mapping of simply connected domains</i>	68
D. Katz <i>Integration over non-rectifiable curves: spirals of high torsion</i>	70
A. A. Katz <i>On real Σ^*-algebras of operators</i>	72
L. Fardigola, K. Khalina <i>On controllability problems for the heat equation with variable coefficients controlled by the Dirichlet boundary condition on a half-axis</i>	73