

International
Online Conference

Algebraic
and Geometric
Methods of Analysis

dedicate to the memory
of Yuriy Trokhymchuk
(17.03.1928-18.12.2019)

May 25-28, 2021
Odesa, Ukraine

LIST OF TOPICS

- Topological methods in analysis
- Geometric problems of complex and mathematical analysis
- Algebraic methods in geometry
- Differential geometry in the whole
- Geometry and topology of differentiable manifolds
- General and algebraic topology
- Geometric and topological methods in natural sciences

ORGANIZERS

- Ministry of Education and Science of Ukraine
- Odesa National Academy of Food Technologies
- Institute of Mathematics of the National Academy of Sciences of Ukraine
- Taras Shevchenko National University of Kyiv
- International Geometry Center
- Kyiv Mathematical Society

SCIENTIFIC COMMITTEE

Drozd Yu.

(Kyiv, Ukraine)

Maksymenko S.

(Kyiv, Ukraine)

Plaksa S.

(Kyiv, Ukraine)

Prishlyak A.

(Kyiv, Ukraine)

Bakhtin O.

(Kyiv, Ukraine)

Balan V.

(Bucharest, Romania)

Banakh T.

(Lviv, Ukraine)

Borysenko O.

(Kharkiv, Ukraine)

Cherevko Ye.

(Odesa, Ukraine)

Fedchenko Yu.

(Odesa, Ukraine)

Karlova O.

(Chernivtsi, Ukraine)

Kiosak V.

(Odessa, Ukraine)

Konovenko N.

(Odessa, Ukraine)

Lyubashenko V.

(Kyiv, Ukraine)

Matsumoto K.

(Yamagata, Japan)

Mormul P.

(Warsaw, Poland)

Mykhailyuk V.

(Chernivtsi, Ukraine)

Plachta L.

(Krakov, Poland)

Pokas S.

(Odessa, Ukraine)

Sabitov I.

(Moscow, Russia)

Savchenko O.

(Kherson, Ukraine)

Sergeeva A.

(Odesa, Ukraine)

Shelekhov A.

(Tver, Russia)

Zarichnyi M.

(Lviv, Ukraine)

ADMINISTRATIVE COMMITTEE

- Egorov B., chairman, rector of the ONAFT;
- Povarova N., deputy chairman, Pro-rector for scientific work of the ONAFT;
- Mardar M., Pro-rector for scientific-pedagogical work and international communications of the ONAFT;
- Fedosov S., Director of the International Cooperation Center of the ONAFT;
- Kotlik S., Director of the P.M. Platonov Educational-scientific institute of computer systems and technologies “Industry 4.0”;
- Lishchenko N. Dean of faculty of the computer systems and automation ONAFT

ORGANIZING COMMITTEE

Cherevko Ye.
Eftekharinasab K.
Fedchenko Yu.
Feshchenko B.
Khohliyk O.

Klishchuk B.
Konovenko N.
Kravchenko A.
Kuznietsova I.
Maksymenko S.

Osadchuk E.
Plakosh A.
Prus A.
Sergeeva A.
Soroka Yu.

Homotopic Nerve Complexes with Free Group Presentations

James F. Peters

(University of Manitoba, WPG, MB, R3T 5V6, Canada)

E-mail: james.peters3@umanitoba.ca

This paper introduces homotopic nerve complexes in a planar Whitehead CW space [6, §4-5] and their Rotman free group presentations [4, §11,p.239]. A CW complex in a space K is a closure-finite cell complex that is Hausdorff (union of disjoint cells), satisfying the containment property (closure of every cell complex is in K) and intersection property (common parts of cell complexes in K are also in K). A complex K is locally finite, i.e., every point $p \in K$ is a member of some finite subcomplex of K and every complex has a finite number of faces [5, §5.2,p.65]. A planar CW complex K is a collection of 0-cells (vertexes), 1-cells (edges) and 2-cells (filled triangles). Collections of planar cells attached to each other are sub-complexes in K .

Definition 1. 1-Cycle. A 1-cycle $\text{cyc}E$ in a CW space K is a collection of path-connected vertexes on 1-cells (edges) attached to each other and with no end vertex.

The edges in a 1-cycle cell complex in a CW space are replaced by homotopic maps to obtain a homotopic cycle.

Definition 2. Homotopic-Cycle. A **homotopic cycle** E (denoted by $\text{cyc}E$) is defined to be $\{h_i\}_{i=1}^n$, a set of n paths in a space X , where $h_1(0) = h_n(1)$ and the initial point of h_{i+1} is the terminal point of h_i for $2 \leq i \leq n-1$, i.e., $h_i(0) = h_{(i-1)}(1)$. Each path is a mapping $h : [0, 1] \rightarrow X$ and $h_i(0)$ is a vertex in a finite set of cycle vertexes. A reverse path $\bar{h}_i(t) := h_i(t-1)$ gives us an inverse map, so that

$$h_i(0) - \bar{h}_i(1) = h_i(0) - h_i(1-1) = h_i(0) - h_i(0) = 0.$$

In cycle $\text{cyc}E$, every vertex v_i is reachable by k maps from a distinguished vertex $h_1(0) = v_0$, i.e.,

$$\begin{aligned} kv_0 &:= h_1(0) + \cdots + h_{k+1}(0) \\ \text{i.e., } k \text{ maps to reach } h_{k+1}(0) \text{ from } h_1(0) \\ &:= \overbrace{h_1 \rightarrow \cdots \rightarrow h_{k+1}}. \end{aligned}$$

Here, $+$ represents a move from one vertex to another one in the cycle, which translates to a homotopic path between vertexes.

Definition 3. Nerve Complex. A nerve complex $\text{Nrv}E$ in a space X is a collection of nonempty cell complexes with nonvoid intersection.

Theorem 4. A pair of pair of 1-cycles with a common vertex in a CW space is a nerve complex.

Theorem 5. Every collection of homotopic cycles with a common vertex in a CW space is a homotopic nerve complex.

Lemma 6. Every vertex in the triangulation of the vertices in a CW space is the nucleus of an Alexandroff-Hopf nerve complex [1, §4.2.11, p. 161].

The research has been supported by the Natural Sciences & Engineering Research Council of Canada (NSERC) discovery grant 185986 and Instituto Nazionale di Alta Matematica (INdAM) Francesco Severi, Gruppo Nazionale per le Strutture Algebriche, Geometriche e Loro Applicazioni grant 9 920160 000362, n.prot U 2016/000036 and Scientific and Technological Research Council of Turkey (TÜBİTAK) Scientific Human Resources Development (BİDEB) under grant no: 2221-1059B211301223.

Theorem 7. *A CW space containing n triangulated vertexes contains n Alexandroff-Hopf nerve complexes.*

Remark 8. A finite group G is free, provided every element $x \in G$ is a linear combination of its basis elements (called generators) [2, §1.4, p. 21]. We write $\mathcal{B}$ to denote a nonempty basis set of generators $\{g_1, \dots, g_{|\mathcal{B}|}\}$ and $G(\mathcal{B}, +)$ to denote the free group with binary operation $+$.

Definition 9. Rotman Presentation[4, p.239] Let $X = \{g_1, \dots\}$, $\Delta = \{v = \sum k g_i, v, g_i \in X\}$ be a set of generators of members of a nonempty set X and set of relations between members of X and the generators in X . A mapping of the form $\{X, \Delta\} \rightarrow G$, a free group, is called a presentation.

Definition 10. Let 2^K be the collection of cell complexes in a CW space K , $E \in 2^K$, basis $\mathcal{B} \in G$, k_i the i^{th} integer coefficient in a linear combination $\sum_{i,j} k_i g_j$ of generating elements $g_j \in \mathcal{B}$. A free group G presentation of E is a continuous map $f : 2^K \rightarrow 2^K$ defined by

$$\begin{aligned} f(E) &= \left\{ v := \sum_{i,j} k_i g_j : v \in E, g_j \in \mathcal{B}, k_i \in \mathbb{Z} \right\} \\ &\quad \underbrace{E \mapsto \text{free group } G}_{=} \\ &= G(\{g_1, \dots, g_{|\mathcal{B}|}\}, +). \end{aligned}$$

Lemma 11. [3, §4, p. 10] *Every homotopic cycle in a space X has a free group presentation.*

Here are two main results.

Theorem 12. *Every homotopic cycle in a CW space has a free group presentation.*

Theorem 13. *Every homotopic nerve in a CW space has a free group presentation.*

Remark 14. An application of nerve complexes is given in terms of the approximation of video frame shapes.

REFERENCES

- [1] P. Alexandroff and H. Hopf, *Topologie. Band i*, Springer, Berlin, 1935, Zbl 13, 79; reprinted Chelsea Publishing Co., Bronx, N. Y., 1972. iii+637 pp., MR0345087.
- [2] J.R. Munkres, *Elements of algebraic topology*, 2^{nd} ed., Perseus Publishing, Cambridge, MA, 1984, ix + 484 pp., ISBN: 0-201-04586-9, MR0755006.
- [3] J.F. Peters, *Amiable and almost amiable fixed sets. extension of the brouwer fixed point theorem*, GLASNIK MATEMATIČKI **35** (2020), no. 75, 1–17, arXiv.2008.07584v4.
- [4] J.J. Rotman, *The theory of groups. An introduction.*, Allyn and Bacon, Inc., Boston, Mass., 1965, xiii+305 pp., MR0204499, reviewed by R.C. Lyndon.
- [5] R.M. Switzer, *Algebraic topology – homology and homotopy*, Springer, Berlin, 2002, xii+526 pp., Zbl 1003.55002.
- [6] J.H.C. Whitehead, *Combinatorial homotopy. I*, Bulletin of the American Mathematical Society **55** (1949), no. 3, 213–245, type 2 complexes:MR0030759, 3D complexes:MR0005352.

Kh. F. Kholturayev <i>Perfect metrizable of the functor of idempotent measures</i>	75
Y. Khomych <i>Quasiareal deformation of surfaces of positive Gauss curvature</i>	77
V. Kiosak, O. Lesechko <i>Canonical infinitesimal deformations of metrics of pseudo-Riemannian spaces</i>	78
R. Salimov, B. Klishchuk <i>On the behavior at infinity of ring Q-homeomorphisms</i>	79
T. Kolomiets, A. Pogorui <i>Elements of probability theory and measures with values in hypercomplex algebras</i>	81
N. Konovenko <i>The invariants of planar 3-webs with respect to group of symplectic diffeomorphisms, for the case of the conformal group</i>	84
E. Kudryavtseva <i>Topology of spaces of smooth functions and gradient-like flows with prescribed singularities on surfaces</i>	85
G. Kuduk <i>Nonlocal problem with integral conditions for homogeneous system of partial differential equations of second order</i>	87
I. Kuznietsova, Yu. Soroka <i>Realization of groups as fundamental groups of orbits of smooth maps</i>	88
K. Gürlebeck, D. Legatiuk <i>Modified quaternionic operator calculus and its application to micropolar elasticity</i>	90
S. Maksymenko, E. Polulyakh <i>On non-Hausdorff manifolds of dimension 1</i>	92
S. Maksymenko <i>Symplectomorphisms preserving smooth functions on surfaces</i>	93
M. Maloid-Hliebova <i>Second classical Zariski topology of multiplicative module</i>	94
I. Marko <i>Incomplete spaces of idempotent measures</i>	95
N. Mazurenko, M. Zarichnyi <i>Hyperspaces of convex sets related to idempotent mathematics</i>	96
A. Mednykh <i>Volumes of knots and links in spaces of constant curvature</i>	98
R. Mohseni, R. A. Wolak <i>Twistor spaces on foliated manifolds</i>	99
P. Mormul <i>Two problems in nonholonomic geometry (in quest of a co-worker)</i>	100
F. Mukhamadiev <i>The local τ-density of a linearly ordered spaces</i>	101
T. Obikhod <i>Entropy and phase transitions in Calabi-Yau space</i>	102
A. Orevkova <i>Reducing singularities of smooth functions to normal forms</i>	104
T. Osipchuk <i>On m-convexity and m-semiconvexity of sets in Euclidean spaces</i>	106
V. Ostrovskiy, O. Ostrovska, D. Proskurin, Yu. Samoilenko <i>On representations of q_{ij}-commuting isometries</i>	108
J.F. Peters <i>Homotopic Nerve Complexes with Free Group Presentations</i>	110
P. Laurain, M. Petrache <i>Uniform measures in Euclidean space</i>	112