



International

Scientific

Conference

Algebraic and Geometric Methods of Analysis

May 24-27, 2022, Odesa, Ukraine

## LIST OF TOPICS

- Algebraic methods in geometry
- Differential geometry in the large
- Geometry and topology of differentiable manifolds
- General and algebraic topology
- Dynamical systems and their applications
- Geometric and topological methods in natural sciences

## ORGANIZERS

- Ministry of Education and Science of Ukraine
- Odesa National University of Technology, Ukraine
- Institute of Mathematics of the National Academy of Sciences of Ukraine
- Taras Shevchenko National University of Kyiv
- International Geometry Center
- Kyiv Mathematical Society

## SCIENTIFIC COMMITTEE

### Co-Chairs:

**Maksymenko S.**  
(Kyiv, Ukraine)

**Prishlyak A.**  
(Kyiv, Ukraine)

**Balan V.**  
(Bucharest, Romania)

**Fedchenko Yu.**  
(Odesa, Ukraine)

**Matsumoto K.**  
(Yamagata, Japan)

**Banakh T.**  
(Lviv, Ukraine)

**Karlova O.**  
(Chernivtsi, Ukraine)

**Mormul P.**  
(Warsaw, Poland)

**Bolotov D.**  
(Kharkiv, Ukraine)

**Kiosak V.**  
(Odesa, Ukraine)

**Plachta L.**  
(Krakov, Poland)

**Cherevko Ye.**  
(Odesa, Ukraine)

**Konovenko N.**  
(Odesa, Ukraine)

**Polulyakh Ye.**  
(Kyiv, Ukraine)

**Savchenko O.**  
(Kherson, Ukraine)

## ADMINISTRATIVE COMMITTEE

- Egorov B., chairman, rector of the ONTU;
- Povarova N., deputy chairman, Pro-rector for scientific work of the ONTU;
- Mardar M., Pro-rector for scientific-pedagogical work and international communications of the ONTU;
- Kotlik S., Director of the P.M. Platonov Educational-scientific institute of computer systems and technologies "Industry 4.0";

## ORGANIZING COMMITTEE

Konovenko N.  
Maksymenko S.

Fedchenko Yu.  
Cherevko Ye.

Osadchuk Ye.  
Sergeeva O.

Soroka Yu.

# The geometrical properties of degenerations of curves and surfaces

Jia-Li Mo

(School of Mathematics, Soochow University, China.P.R)

E-mail: mojiali0722@126.com

In this talk, we will mainly discuss the topology and arithmetic properties of degenerations of curves and surfaces. First, we investigate the influences of the base points of cubic pencils on the Mordell-Weil groups in this part. We pay attention to 8, 7, 6 and 5 base points in general position for such cubic pencil, and classify these cubic pencils. And we give the following theorem:

**Theorem 1.** *This is the main theorem (taken from [2]).*

Given  $n (= 8, 7, 6, 5)$  points in general position in  $\mathbb{P}^2$ ,  $S : sH_1 + tH_2 = 0$ ,  $[s, t] \in \mathbb{P}^1$  is a cubic pencil with  $n (= 8, 7, 6, 5)$  simple base points. Then, the Mordell-Weil groups of the fibrations are isomorphic to two types respectively:

$$E_8 : y^2 = x^3 + x\left(\sum_{i=0}^3 p_i t^i\right) + \sum_{i=0}^3 q_i t^i + t^5, \quad y^2 = x^3 + t^2 x^2 + x\left(\sum_{i=0}^2 p_i t^i\right) + \sum_{i=0}^4 q_i t^i + t^5 \quad (1)$$

$$E_7^\vee : y^2 = x^3 + x(p_0 + p_1 t + t^3) + \sum_{i=0}^4 q_i t^i, \quad y^2 + txy = x^3 + x\left(\sum_{i=0}^2 p_i t^i\right) + \sum_{i=0}^3 q_i t^i - t^4 \quad (2)$$

$$E_6^\vee : y^2 + t^2 y = x^3 + x\left(\sum_{i=0}^2 p_i t^i\right) + \left(\sum_{i=0}^2 q_i t^i\right), \quad y^2 + txy = x^3 + x\left(\sum_{i=0}^2 p_i t^i\right) + \left(\sum_{i=0}^3 q_i t^i\right) \quad (3)$$

$$D_5^\vee : y^2 + p_5 xy = x^3 + p_4 tx^2 + (p_8 t^2 + p_2 t^3)x + p_6 t^4 + t^5 \quad (4)$$

A Del Pezzo surface  $X$  is either  $\mathbb{P}^1 \times \mathbb{P}^1$  or the blow-up of  $\mathbb{P}^2$  in  $m$  ( $m = 1, \dots, 8$ ) points in general position. The degree  $d$  of  $X$  is defined to be  $d = 9 - m$ . As an application, we give a new proof of the number of  $(-1)$  curves in Del Pezzo surfaces.

**Theorem 2.** *The number of  $(-1)$  curves in Del Pezzo surfaces of degree 1, 2, 3, 4 is 240, 56, 27 and 16 respectively.*

In the second part, we talk about the surfaces of minimal degree in  $\mathbb{P}^n$ . In fact, the degree of such surface is  $n - 1$ . The fundamental group of Galois cover of surface is an important invariant of the moduli space of such surfaces. In [1], we use the tools of degenerations of surfaces to prove the following theorem:

**Theorem 3.** *The Galois cover of the surface of minimal degree is simple-connected and general type.*

In the end, we give an open question:

**Question:** It is well known that the fundamental groups of most surfaces of general type are non commutative. But it is not easy to find concrete examples of such surfaces. Let  $a_k$  be a series of integral number whose limit is infinity. How to give a series of surfaces of degree  $a_k$  whose the fundamental groups of Galois covers are all non commutative?

## REFERENCES

- [1] Amram, M., Gong, C., Mo, J.-L., *On the Galois covers of degenerations of surfaces of minimal degree*, appear in *Mathematische Nachrichten*, 2021.
- [2] Mo, J.-L., *The Mordell-Weil groups of cubic pencils*, reprint.

HTB OHTY

## Зміст

<b>M. Amram</b> <i>On the algorithm of degenerations and fundamental groups as a tool to understand algebraic surfaces</i>	<b>2</b>
<b>D. Bolotov</b> <i>Foliations on closed three-dimensional Riemannian manifolds with a bounded mean curvature of leaves</i>	<b>3</b>
<b>Enzo Bonacci</b> <i>Topological issues about the 6D ISST in Physics</i>	<b>4</b>
<b>Francisco Bulnes</b> <i>Characterized cycles integration on <math>\mathcal{D}</math>-modules as solutions in <math>\mathbb{L}</math>-holomorphic bundles</i>	<b>5</b>
<b>D. Cheban</b> <i>One-dimensional Monotone Non-autonomous Dynamical Systems and Strange Nonchaotic Attractors</i>	<b>6</b>
<b>Y. Cherevko, V. Berezovski, J. Mikeš, Y. Fedchenko</b> <i>Holomorphically Projective Mappings of Kähler Manifolds Preserving The Generalized Einstein Tensor</i>	<b>8</b>
<b>V. Chernov, R. Sadykov</b> <i>Some questions about virtual Legendrian knots</i>	<b>10</b>
<b>Luca Di Beo</b> <i>Morse-Smale flows in the Boy's surface</i>	<b>11</b>
<b>Yu. Drozd</b> <i>Morita equivalence of non-commutative Noetherian schemes</i>	<b>12</b>
<b>K. Eftekharinasab</b> <i>Some critical point results for Fréchet manifolds</i>	<b>14</b>
<b>V. Fedorchuk, V. Fedorchuk</b> <i>On partial preliminary group classification of some class of <math>(1 + 3)</math>-dimensional Monge-Ampere equations. One-dimensional Galilean Lie algebras.</i>	<b>16</b>
<b>N. Glazunov</b> <i>On packing and lattice packing of Minkowski-Chebyshev balls</i>	<b>18</b>
<b>Omer GOK</b> <i>Unbounded order and norm convergence of some operators on Banach lattices</i>	<b>20</b>
<b>J. Ham, J. Lee</b> <i>An explicit formula for the A-polynomial of the knot with Conway's notation <math>C(2n, 4)</math></i>	<b>21</b>
<b>N. Konovenko</b> <i>The symplectic invariants of 3-webs</i>	<b>23</b>
<b>Yaacov Kopeliovich</b> <i>Solutions to Mumford's second problem on theta functions</i>	<b>25</b>
<b>I. Kuznietsova, Yu. Soroka</b> <i>Geometric interpretation of first Betti numbers of orbits of smooth functions</i>	<b>26</b>
<b>J-P. Magnot</b> <i>On diffeological principal bundles of non-formal pseudo-differential operators over formal ones</i>	<b>28</b>
<b>S. Maksymenko</b> <i>Topological actions of wreath products</i>	<b>29</b>
<b>J-L. Mo</b> <i>The geometrical properties of degenerations of curves and surfaces</i>	<b>30</b>
<b>P. Mormul</b> <i>Nilpotent approximations in the Goursat Monster Tower</i>	<b>32</b>