

International scientific conference
«Algebraic and geometric methods
of analysis»

Book of abstracts



May 31 - June 5, 2017
Odessa
Ukraine

LIST OF TOPICS

- Algebraic methods in geometry
- Differential geometry in the large
- Geometry and topology of differentiable manifolds
- General and algebraic topology
- Dynamical systems and their applications
- Geometric problems in mathematical analysis
- Geometric and topological methods in natural sciences
- History and methodology of teaching in mathematics

ORGANIZERS

- The Ministry of Education and Science of Ukraine
- Odesa National Academy of Food Technologies
- The Institute of Mathematics of the National Academy of Sciences of Ukraine
- Taras Shevchenko National University of Kyiv
- The International Geometry Center

PROGRAM COMMITTEE

Chairman: Prishlyak A. (<i>Kyiv, Ukraine</i>)	Maksymenko S. (<i>Kyiv, Ukraine</i>)	Rahula M. (<i>Tartu, Estonia</i>)
Balan V. (<i>Bucharest, Romania</i>)	Matsumoto K. (<i>Yamagata, Japan</i>)	Sabitov I. (<i>Moscow, Russia</i>)
Banakh T. (<i>Lviv, Ukraine</i>)	Mashkov O. (<i>Kyiv, Ukraine</i>)	Savchenko A. (<i>Kherson, Ukraine</i>)
Fedchenko Yu. (<i>Odesa, Ukraine</i>)	Mykytyuk I. (<i>Lviv, Ukraine</i>)	Sergeeva A. (<i>Odesa, Ukraine</i>)
Fomenko A. (<i>Moscow, Russia</i>)	Milka A. (<i>Kharkiv, Ukraine</i>)	Strikha M. (<i>Kyiv, Ukraine</i>)
Fomenko V. (<i>Taganrog, Russia</i>)	Mikesh J. (<i>Olomouc, Czech Republic</i>)	Shvets V. (<i>Odesa, Ukraine</i>)
Glushkov A. (<i>Odesa, Ukraine</i>)	Mormul P. (<i>Warsaw, Poland</i>)	Shelekhov A. (<i>Tver, Russia</i>)
Haddad M. (<i>Wadi al-Nasara, Syria</i>)	Moskaliuk S. (<i>Wien, Austria</i>)	Shurygin V. (<i>Kazan, Russia</i>)
Herega A. (<i>Odesa, Ukraine</i>)	Panzhenskiy V. (<i>Penza, Russia</i>)	Vlasenko I. (<i>Kyiv, Ukraine</i>)
Khruslov E. (<i>Kharkiv, Ukraine</i>)	Pastur L. (<i>Kharkiv, Ukraine</i>)	Zadorozhnyj V. (<i>Odesa, Ukraine</i>)
Kirichenko V. (<i>Moscow, Russia</i>)	Plachta L. (<i>Krakov, Poland</i>)	Zarichnyi M. (<i>Lviv, Ukraine</i>)
Kirillov V. (<i>Odesa, Ukraine</i>)	Pokas S. (<i>Odesa, Ukraine</i>)	Zelinskiy Y. (<i>Kyiv, Ukraine</i>)
Konovenko N. (<i>Odesa, Ukraine</i>)	Polulyakh E. (<i>Kyiv, Ukraine</i>)	

ADMINISTRATIVE COMMITTEE

- Egorov B., chairman, rector of the ONAFT;
- Povarova N., deputy chairman, Pro-rector for scientific work of the ONAFT;
- Mardar M., Pro-rector for scientific-pedagogical work and international communications of the ONAFT;
- Fedosov S., Director of the International Cooperation Center of the ONAFT;
- Volkov V., Director of the Educational Research Institute of Mechanics, Automation and Computer Systems named after P. M. Platonov;
- Bukaros A., Dean of the Faculty of automation, mechatronics and robotics

ORGANIZING COMMITTEE

Kirillov V.
Konovenko N.
Fedchenko Yu.

Hladysh B.
Nuzhnaya N.
Osadchuk E.

Maksymenko S.
Khudenko N.
Cherevko E.

НТБ ОНАФТ

Some extremal and structural properties of finite ultrametric spaces

O. Dovgoshey

(Function theory department, Institute of Applied Mathematics and Mechanics of NASU,
Dobrovolskogo str. 1, Slovyansk 84100, Ukraine)
E-mail: oleksiy.dovgoshey@gmail.com

E. Petrov

(Function theory department, Institute of Applied Mathematics and Mechanics of NASU,
Dobrovolskogo str. 1, Slovyansk 84100, Ukraine)
E-mail: eugeniy.petrov@gmail.com

H.-M. Teichert

(Institute of Mathematics, University of Lübeck, Ratzeburger Allee 160, 23562 Lübeck, Germany)
E-mail: teichert@math.uni-luebeck.de

We describe some extremal and structural properties of finite ultrametric spaces which have the strictly n -ary representing trees and the representing trees with injective internal labeling.

Recall some definitions. The *spectrum* of an ultrametric space (X, d) is the set

$$\text{Sp}(X) = \{d(x, y) : x, y \in X\}.$$

For a graph $G = (V, E)$, the sets $V = V(G)$ and $E = E(G)$ are called *the set of vertices (or nodes)* and *the set of edges*, respectively. Let (X, d) be an ultrametric space with $|X| \geq 2$ and the spectrum $\text{Sp}(X)$ and let $r \in \text{Sp}(X)$ be nonzero. Define by $G_{r,X}$ a graph for which $V(G_{r,X}) = X$ and

$$(\{u, v\} \in E(G_{r,X})) \Leftrightarrow (d(u, v) = r).$$

Denote by G' the subgraph of the graph G obtained from G by deleting of isolated vertices. With every finite ultrametric space (X, d) we can associate a labeled rooted tree T_X , see [1]. By \mathbf{B}_X we denote the set of all balls of the space X .

Theorem 1. *Let (X, d) be a finite nonempty ultrametric space. The following conditions are equivalent.*

- (i) *The diameters of different nonsingular balls are different.*
- (ii) *The internal labeling of T_X is injective.*
- (iii) *$G'_{r,X}$ is a complete multipartite graph for every $r \in \text{Sp}(X) \setminus \{0\}$.*
- (iv) *The equality $|\mathbf{B}_X| = |X| + |\text{Sp}(X)| - 1$ holds.*

Let (X, d) be an ultrametric space. Recall that balls B_1, \dots, B_k in (X, d) are equidistant if there is $r > 0$ such that $d(x_i, x_j) = r$ holds whenever $x_i \in B_i$ and $x_j \in B_j$ and $1 \leq i < j \leq k$.

Theorem 2. *Let (X, d) be a finite nonempty ultrametric space and let $n \geq 2$ be integer. The following conditions are equivalent.*

- (i) *T_X is strictly n -ary.*
- (ii) *For every nonzero $r \in \text{Sp}(X)$ the graph $G'_{r,X}$ is the union of p complete n -partite graphs, where p is a number of all internal nodes of T_X labeled by r .*
- (iii) *For every nonsingular ball $B \in \mathbf{B}_X$ there are the equidistant balls $B_1, \dots, B_n \in \mathbf{B}_X$ such that $B = \bigcup_{j=1}^n B_j$ and $\text{diam } B_j < \text{diam } B$ for every $j \in \{1, \dots, n\}$.*
- (iv) *The equality $(n-1)|\mathbf{B}_Y| + 1 = n|Y|$ holds for every ball $Y \in \mathbf{B}_X$.*

Let T be a rooted tree and let v be a node of T . Denote by $\delta^+(v)$ the out-degree of v , i.e., $\delta^+(v)$ is the number of children of v , and write

$$\Delta^+(T) = \max_{v \in V(T)} \delta^+(v),$$

i.e., $\Delta^+(T)$ is the maximum out-degree of $V(T)$. It is clear that $v \in V(T)$ is a leaf of T if and only if $\delta^+(v) = 0$. Moreover, T is strictly n -ary if and only if the equality

$$\delta^+(v) = n$$

holds for every internal node v of T . Let us denote by $I(T)$ the set of all internal nodes of T .

Lemma 3. *The inequality*

$$|V(T)| \leq \Delta^+(T)|I(T)| + 1$$

holds for every rooted tree T . If $|V(T)| \geq 2$, then this inequality becomes the equality if and only if T is strictly n -ary with $n = \Delta^+(T)$.

Corollary 4. *The inequality*

$$|\mathbf{B}_X| \geq \frac{\Delta^+(T_X)|X| - 1}{\Delta^+(T_X) - 1}$$

holds for every finite nonempty ultrametric space (X, d) . This inequality becomes an equality if and only if T_X is a strictly n -ary rooted tree with $n = \Delta^+(T_X)$.

Proposition 5. *Let (X, d) be a finite ultrametric space with $|X| \geq 2$. Then the inequality*

$$2|\mathbf{B}_X| \geq |\text{Sp}(X)| + \frac{2\Delta^+(T_X)|X| - \Delta^+(T_X) - |X|}{\Delta^+(T_X) - 1}$$

holds. This inequality becomes an equality if and only if T_X is a strictly n -ary rooted tree with $n = \Delta^+(T_X)$ and with the injective internal labeling.

Corollary 6. *Let (X, d) be a finite ultrametric space with $|X| \geq 2$ and let $n = \Delta^+(T_X)$. The following conditions are equivalent.*

- (i) T_X is a strictly n -ary tree with injective internal labeling.
- (ii) $G'_{r,X}$ is complete n -partite graph for every $r \in \text{Sp}(X)$.
- (iii) The equality

$$2|\mathbf{B}_X| = |\text{Sp}(X)| + \frac{2\Delta^+(T_X)|X| - \Delta^+(T_X) - |X|}{\Delta^+(T_X) - 1}$$

holds.

REFERENCES

- [1] Evgenii A. Petrov, Aleksei A. Dovgoshey. On the Gomory–Hu Inequality. *Journal of Mathematical Sciences*, 198(4): 392–411, 2014.
- [2] O. Dovgoshey, E. Petrov, H.-M. Teichert. Extremal properties of finite ultrametric spaces and invariants of their isometries. arXiv:1610.08282v1, 2016.

Antoniouk O., Maksymenko S. <i>Contractibility of manifolds by means of stochastic flows</i>	35
Ayatollah Zadeh Shirazi F. <i>More about set-theoretical entropies in generalized shifts</i>	36
Ayatollah Zadeh Shirazi F., Nili Ahmadabadi Z. <i>A comparative study on dynamical properties of Fort, Fortissimo and Arens-Fort transformation groups</i>	37
Babych V. <i>Construction and topological properties of the closed extension topology</i>	38
Balan V., Cipu C., Măgureanu M. <i>Tuning role of surface slices within urbanism-index fuzzy system hypersurfaces</i>	40
Bakhtadze Sh. <i>On the Chogoshvili's spectral homology theory of the second family</i>	42
Banaru M. B., Banaru G. A. <i>On almost contact metric hypersurfaces in special Hermitian manifolds</i>	43
Bardyla S. <i>On a semitopological α-bicyclic semigroup</i>	45
Batkhin A. B. <i>Some applications of the discriminant and resonance sets of a real polynomial</i>	46
Beshimov R. B., Mukhamadiev F. G. <i>Some cardinal and topological properties of N_T^φ-kernel of a topological space X and superextensions</i>	48
Bilet V., Dovgoshey O. <i>Finiteness of pretangent spaces at infinity</i>	50
Bonacci E. <i>A new method in geometry from a germinal approach to power sums</i>	52
Denega I. <i>Estimates of products of inner radii of non-overlapping domains in the complex plane</i>	53
Dovgoshey O., Petrov E., Teichert H.-M. <i>Some extremal and structural properties of finite ultrametric spaces</i>	55
Ertem Ü. <i>Twistors, harmonic spinors and symmetry operators</i>	57
Gao J. <i>The geometry of Banach space and fixed point of non-expansive mapping</i>	59
Glazunov N. <i>Artin-Schreier coverings, Galois representations and density Sato-Tate distribution functions</i>	60
Gunduz Aras C., Bayramov S. <i>Some Separation Axioms in Supra Soft Topological Spaces</i>	62
Hentosh O. Ye., Prykaratsky Ya. A., Prykarpatski A. K. <i>The differential-geometric and algebraic aspects of the Lax-Sato theory</i>	63
Herasymov V., Gefter S. <i>Polyadic topology on Z and linear differential equations in the ring $Z[[x]]$</i>	65
Hladysh B. I., Prishlyak A. O. <i>Deformation of a Morse function on a surface with the boundary</i>	66
Incesu M., Gursoy O. <i>The similarity invariants of integral B-splines</i>	68
Khesin B. <i>Geometry and integrability of pentagram maps</i>	69
Klishchuk B., Salimov R. <i>The extremal problem for the area of an image of a disc</i>	70