

International scientific conference
«Algebraic and geometric methods
of analysis»

Book of abstracts



May 31 - June 5, 2017
Odessa
Ukraine

LIST OF TOPICS

- Algebraic methods in geometry
- Differential geometry in the large
- Geometry and topology of differentiable manifolds
- General and algebraic topology
- Dynamical systems and their applications
- Geometric problems in mathematical analysis
- Geometric and topological methods in natural sciences
- History and methodology of teaching in mathematics

ORGANIZERS

- The Ministry of Education and Science of Ukraine
- Odesa National Academy of Food Technologies
- The Institute of Mathematics of the National Academy of Sciences of Ukraine
- Taras Shevchenko National University of Kyiv
- The International Geometry Center

PROGRAM COMMITTEE

Chairman: Prishlyak A. (<i>Kyiv, Ukraine</i>)	Maksymenko S. (<i>Kyiv, Ukraine</i>)	Rahula M. (<i>Tartu, Estonia</i>)
Balan V. (<i>Bucharest, Romania</i>)	Matsumoto K. (<i>Yamagata, Japan</i>)	Sabitov I. (<i>Moscow, Russia</i>)
Banakh T. (<i>Lviv, Ukraine</i>)	Mashkov O. (<i>Kyiv, Ukraine</i>)	Savchenko A. (<i>Kherson, Ukraine</i>)
Fedchenko Yu. (<i>Odesa, Ukraine</i>)	Mykytyuk I. (<i>Lviv, Ukraine</i>)	Sergeeva A. (<i>Odesa, Ukraine</i>)
Fomenko A. (<i>Moscow, Russia</i>)	Milka A. (<i>Kharkiv, Ukraine</i>)	Strikha M. (<i>Kyiv, Ukraine</i>)
Fomenko V. (<i>Taganrog, Russia</i>)	Mikesh J. (<i>Olomouc, Czech Republic</i>)	Shvets V. (<i>Odesa, Ukraine</i>)
Glushkov A. (<i>Odesa, Ukraine</i>)	Mormul P. (<i>Warsaw, Poland</i>)	Shelekhov A. (<i>Tver, Russia</i>)
Haddad M. (<i>Wadi al-Nasara, Syria</i>)	Moskaliuk S. (<i>Wien, Austria</i>)	Shurygin V. (<i>Kazan, Russia</i>)
Herega A. (<i>Odesa, Ukraine</i>)	Panzhenskiy V. (<i>Penza, Russia</i>)	Vlasenko I. (<i>Kyiv, Ukraine</i>)
Khruslov E. (<i>Kharkiv, Ukraine</i>)	Pastur L. (<i>Kharkiv, Ukraine</i>)	Zadorozhnyj V. (<i>Odesa, Ukraine</i>)
Kirichenko V. (<i>Moscow, Russia</i>)	Plachta L. (<i>Krakov, Poland</i>)	Zarichnyi M. (<i>Lviv, Ukraine</i>)
Kirillov V. (<i>Odesa, Ukraine</i>)	Pokas S. (<i>Odesa, Ukraine</i>)	Zelinskiy Y. (<i>Kyiv, Ukraine</i>)
Konovenko N. (<i>Odesa, Ukraine</i>)	Polulyakh E. (<i>Kyiv, Ukraine</i>)	

ADMINISTRATIVE COMMITTEE

- Egorov B., chairman, rector of the ONAFT;
- Povarova N., deputy chairman, Pro-rector for scientific work of the ONAFT;
- Mardar M., Pro-rector for scientific-pedagogical work and international communications of the ONAFT;
- Fedosov S., Director of the International Cooperation Center of the ONAFT;
- Volkov V., Director of the Educational Research Institute of Mechanics, Automation and Computer Systems named after P. M. Platonov;
- Bukaros A., Dean of the Faculty of automation, mechatronics and robotics

ORGANIZING COMMITTEE

Kirillov V.
Konovenko N.
Fedchenko Yu.

Hladysh B.
Nuzhnaya N.
Osadchuk E.

Maksymenko S.
Khudenko N.
Cherevko E.

НТБ ОНАФТ

The differential-geometric and algebraic aspects of the Lax-Sato theory

Oksana Ye. Hentosh

(Pidstryhach Inst. for Applied Problems of Mech. and Math., NASU, Lviv, Ukraine)

E-mail: ohen@ukr.net

Yarema A. Prykarpatsky

(Institute of Mathematics, NASU, Kyiv, Ukraine)

E-mail: yarpry@gmail.com

Anatolij K. Prykarpatski

(Dept. of Math. and Phys., Ivan Franko State Pedagogical Univ. of Drohobych, Lviv region, Ukraine)

E-mail: pryk.anat@cybergal.com

In the report we investigate the Lax-Sato compatible systems of vector field equations, the related Lie algebraic structures and integrability properties of a very interesting class of nonlinear dynamical systems called the heavenly equations, which were initiated by Plebański and later analyzed in a series of articles [1, 2, 3]. Based on the Adler-Kostant-Symes-algebraic and related \mathcal{R} -structure schemes [4], applied to the holomorphic loop Lie algebra $\tilde{\mathcal{G}} := \widetilde{diff}(\mathbb{T}^n)$ of vector fields on torus \mathbb{T}^n , $n \in \mathbb{Z}_+$, there are studied orbits of the corresponding coadjoint actions on $\tilde{\mathcal{G}}^*$, deeply related with the classical Lie-Poisson type structures on them. Constructing two commuting to each other flows on the coadjoint space $\tilde{\mathcal{G}}^*$, generated by a chosen seed element $\tilde{l} \in \tilde{\mathcal{G}}^*$ and some Casimir invariants, we demonstrate successively that their compatibility condition coincides exactly with the corresponding heavenly equation under consideration.

As a by-product of the construction, devised in the paper [5], we state that all the heavenly equations allow such an origin and can be equivalently represented as a Lax type compatibility condition for specially built loop vector fields on the torus \mathbb{T}^n . We analyze the structure of the infinite hierarchy of conservations laws, related with the heavenly equations, and demonstrate their analytical structure connected with the Casimir invariants, generated by the Lie-Poisson structure on $\tilde{\mathcal{G}}^*$. Moreover, we extend the initial Lie-algebraic structure on the case when the basic Lie algebra $\mathcal{G} := diff(\mathbb{T}^n)$ is replaced by the adjacent holomorphic Lie algebra $\tilde{\mathcal{G}} := diff_{hol}(\mathbb{C} \times \mathbb{T}^n) \subset diff(\mathbb{C} \times \mathbb{T}^n)$ of vector fields on $\mathbb{C} \times \mathbb{T}^n$. For all cases there are presented typical examples of the heavenly equations and demonstrated in details their integrability within the scheme devised in the paper. The latter also makes it possible to derive from the natural point of view the well known Lax-Sato representation for an infinite hierarchy of the heavenly type equations, related with the canonical Lie-Poisson structure on the adjoint space $\tilde{\mathcal{G}}^*$. We discuss briefly the Lagrangian representation of these equations, following from their Hamiltonicity with respect to both deeply related commuting to each other evolution flows, the related bi-Hamiltonian structure as well as the Backlund transformations. It should be noted that there are only few examples of multi-dimensional integrable systems, whose mathematical structure was explained and in detail.

The heavenly type equations make up an important class of such integrable systems since some of them are obtained by a reduction of the Einstein equations with Euclidean (and neutral) signature for (anti-) self-dual gravity which includes the theory of gravitational instantons (see, for example, [6]). This and other cases of important applications of multi-dimensional integrable equations strongly motivated us to study a such class of equations and the related mathematical structures. As a very interesting aspect of our approach to describing integrability of the heavenly type dynamical systems is its Lagrange-d'Alambert type mechanical interpretation.

The main motivating idea which featured our report was based both on the article by P. Kulish [7], devoted to studying the super-conformal Korteweg-de-Vries equation as an integrable Hamiltonian flow on the adjoint space to the holomorphic loop Lie algebra of super-conformal vector fields on the circle \mathbb{S}^1 , and the article by V. Mikhalev [8], devoted to studying Hamiltonian structures on the adjoint space to the holomorphic loop Lie algebra of smooth vector fields on the circle \mathbb{S}^1 . In this connection the

holomorphic loop Lie algebra of super-conformal vector fields on the circle $\mathbb{S}^{1|N}$, $N \in \mathbb{N}$, is used for constructing the integrable superanalogs of integrable heavenly type dynamical systems in the report.

Additionally we were strongly influenced both by the paper of M. Pavlov and L. Bogdanov [2] and by the paper of E. Ferapontov and J. Moss [9], in which they devised new effective differential-geometric and analytical methods for studying an integrable degenerate multi-dimensional dispersionless heavenly type equations, and whose mathematical meaning is still far from being properly appreciated.

Concerning the papers developing other Lie-algebraic approaches to constructing integrable heavenly type equations we mention papers by V. Ovsienko and C. Roger [10], B. Szablikowski and A. Sergyeyev [11] and by B. Kruglikov and O. Morozov [12].

REFERENCES

- [1] L.V. Bogdanov, V.S. Dryuma and S.V. Manakov. Dunajski generalization of the second heavenly equation: dressing method and the hierarchy. *J.Phys.A: Math. Theor.*, 40 : 14383–14393, 2007.
- [2] L.V. Bogdanov and M.V. Pavlov. Linearly degenerate hierarchies of quasiclassical SDYM type. arXiv:1603.00238v2 [nlin.SI], 15 Mar 2016.
- [3] K. Takasaki and T. Takebe. Integrable hierarchies and dispersionless limit. *Reviews in Mathematical Physics*, 7(05): 743–808, 1995.
- [4] D.L. Blackmore, A.K. Prykarpatsky and V.H. Samoylenko. Nonlinear dynamical systems of mathematical physics. NJ, USA: World Scientific Publisher, 2011.
- [5] Ya.A. Prykarpatsky and A.K. Prykarpatski. The integrable heavenly type equations and their Lie-algebraic structure. arXiv:submit/1818566 [nlin.SI], 28 Feb 2017.
- [6] W.K. Schief. Self-dual Einstein spaces via a permutability theorem for the Tzitzeica equation. *Physics Letters A*, 223(1-2): 55-62, 1996.
- [7] P.P. Kulish. A superanalog of the Korteweg-de Vries equation for the superconformal algebra. *LOMI Proceedings*, USSR Academy of Sciences, 155 : 142–148, 1986.
- [8] V.G. Mikhalev. On the Hamiltonian formalism for Korteweg-de Vries type hierarchies. *Functional Analysis and Its Applications*, 26(2): 140–142, 1992.
- [9] E.V. Ferapontov and J. Moss. Linearly degenerate PDEs and quadratic line complexes. arXiv:1204.2777v1 [math.DG], 12 Apr 2012.
- [10] V. Ovsienko and C. Roger. Looped cotangent Virasoro algebra and non-linear integrable systems in dimension $2 + 1$. *Commun. Math. Phys.*, 273 : 357–378, 2007.
- [11] A. Sergyeyev and B. M. Szablikowski. Central extensions of cotangent universal hierarchy: $(2 + 1)$ -dimensional bi-Hamiltonian systems. *Physics Lett. A*, 372 : 7016–7023, 2008.
- [12] B. Kruglikov and O. Morozov. Integrable dispersionless PDE in 4D, their symmetry pseudogroups and deformations, arXiv:1410.7104v2 [math-ph], 11 Feb 2015.

Antoniouk O., Maksymenko S. <i>Contractibility of manifolds by means of stochastic flows</i>	35
Ayatollah Zadeh Shirazi F. <i>More about set-theoretical entropies in generalized shifts</i>	36
Ayatollah Zadeh Shirazi F., Nili Ahmadabadi Z. <i>A comparative study on dynamical properties of Fort, Fortissimo and Arens-Fort transformation groups</i>	37
Babych V. <i>Construction and topological properties of the closed extension topology</i>	38
Balan V., Cipu C., Măgureanu M. <i>Tuning role of surface slices within urbanism-index fuzzy system hypersurfaces</i>	40
Bakhtadze Sh. <i>On the Chogoshvili's spectral homology theory of the second family</i>	42
Banaru M. B., Banaru G. A. <i>On almost contact metric hypersurfaces in special Hermitian manifolds</i>	43
Bardyla S. <i>On a semitopological α-bicyclic semigroup</i>	45
Batkhin A. B. <i>Some applications of the discriminant and resonance sets of a real polynomial</i>	46
Beshimov R. B., Mukhamadiev F. G. <i>Some cardinal and topological properties of N_T^φ-kernel of a topological space X and superextensions</i>	48
Bilet V., Dovgoshey O. <i>Finiteness of pretangent spaces at infinity</i>	50
Bonacci E. <i>A new method in geometry from a germinal approach to power sums</i>	52
Denega I. <i>Estimates of products of inner radii of non-overlapping domains in the complex plane</i>	53
Dovgoshey O., Petrov E., Teichert H.-M. <i>Some extremal and structural properties of finite ultrametric spaces</i>	55
Ertem Ü. <i>Twistors, harmonic spinors and symmetry operators</i>	57
Gao J. <i>The geometry of Banach space and fixed point of non-expansive mapping</i>	59
Glazunov N. <i>Artin-Schreier coverings, Galois representations and density Sato-Tate distribution functions</i>	60
Gunduz Aras C., Bayramov S. <i>Some Separation Axioms in Supra Soft Topological Spaces</i>	62
Hentosh O. Ye., Prykaratsky Ya. A., Prykarpatski A. K. <i>The differential-geometric and algebraic aspects of the Lax-Sato theory</i>	63
Herasymov V., Gefter S. <i>Polyadic topology on Z and linear differential equations in the ring $Z[[x]]$</i>	65
Hladysh B. I., Prishlyak A. O. <i>Deformation of a Morse function on a surface with the boundary</i>	66
Incesu M., Gursoy O. <i>The similarity invariants of integral B-splines</i>	68
Khesin B. <i>Geometry and integrability of pentagram maps</i>	69
Klishchuk B., Salimov R. <i>The extremal problem for the area of an image of a disc</i>	70