



International
Scientific Conference

Algebraic and Geometric Methods of Analysis

26-30 may 2020
Odesa, Ukraine

LIST OF TOPICS

- Algebraic methods in geometry
- Differential geometry in the large
- Geometry and topology of differentiable manifolds
- General and algebraic topology
- Dynamical systems and their applications
- Geometric problems in mathematical analysis
- Geometric and topological methods in natural sciences

ORGANIZERS

- Ministry of Education and Science of Ukraine
- Odessa National Academy of Food Technologies
- Institute of Mathematics of the National Academy of Sciences of Ukraine
- Odessa I. I. Mechnikov National University
- Taras Shevchenko National University of Kyiv
- International Geometry Center
- Kyiv Mathematical Society

PROGRAM COMMITTEE

Chairman: Prishlyak A. (<i>Kyiv, Ukraine</i>)	Kiosak V. (<i>Odesa, Ukraine</i>)	Pokas S. (<i>Odesa, Ukraine</i>)
Balan V. (<i>Bucharest, Romania</i>)	Kirillov V. (<i>Odesa, Ukraine</i>)	Polulyakh E. (<i>Kyiv, Ukraine</i>)
Banakh T. (<i>Lviv, Ukraine</i>)	Konovenko N. (<i>Odesa, Ukraine</i>)	Sabitov I. (<i>Moscow, Russia</i>)
Bolotov D. (<i>Kharkiv, Ukraine</i>)	Lyubashenko V. (<i>Kyiv, Ukraine</i>)	Savchenko A. (<i>Kherson, Ukraine</i>)
Borysenko O. (<i>Kharkiv, Ukraine</i>)	Maksymenko S. (<i>Kyiv, Ukraine</i>)	Sergeeva A. (<i>Odesa, Ukraine</i>)
Cherevko Ye. (<i>Odesa, Ukraine</i>)	Matsumoto K. (<i>Yamagata, Japan</i>)	Shelekhov A. (<i>Tver, Russia</i>)
Fedchenko Yu. (<i>Odesa, Ukraine</i>)	Mormul P. (<i>Warsaw, Poland</i>)	Volkov V. (<i>Odesa, Ukraine</i>)
Karlova O. (<i>Chernivtsi, Ukraine</i>)	Mykhailyuik V. (<i>Chernivtsi, Ukraine</i>)	Zarichnyi M. (<i>Lviv, Ukraine</i>)
	Plachta L. (<i>Krakov, Poland</i>)	

ADMINISTRATIVE COMMITTEE

- Egorov B., chairman, rector of the ONAFT;
- Povarova N., deputy chairman, Pro-rector for scientific work of the ONAFT;
- Mardar M., Pro-rector for scientific-pedagogical work and international communications of the ONAFT;
- Fedosov S., Director of the International Cooperation Center of the ONAFT;
- Kotlik S., Director of the P.M. Platonov Educational-scientific institute of computer systems and technologies "Industry 4.0";
- Svytyy I., Dean of the Faculty of Computer Systems and Automation.

ORGANIZING COMMITTEE

Kirillov V.
Konovenko N.
Fedchenko Yu.

Maksymenko S.
Cherevko Ye.

Osadchuk E.
Prus A.

ІНТЕРНАЦІОНАЛЬНИЙ ЦЕНТР СПІВРОБІТНИЦТВА

Ricci-flat Kähler metrics on tangent bundles of rank-one symmetric spaces of compact type

I. V. Mykytyuk

(Institute of Applied Problems of Mathematics and Mechanics, Naukova Str. 3b, 79601, Lviv, Ukraine.)

E-mail: mykytyuk_i@yahoo.com

We give an explicit description of all complete G -invariant Ricci-flat Kähler metrics on the tangent bundle $T(G/K) \cong G^{\mathbb{C}}/K^{\mathbb{C}}$ of rank-one Riemannian symmetric spaces G/K of compact type, in terms of associated vector-functions.

Over the latest decades there has been considerable interest in Ricci-flat Kähler metrics whose underlying manifold is diffeomorphic to the tangent bundle $T(G/K)$ of a Riemannian symmetric space G/K of compact type. For instance, a remarkable class of Ricci-flat Kähler manifolds of cohomogeneity one was discovered by M. Stenzel [1]. This has originated a great deal of papers. To cite but a few: M. Cvetič, G. W. Gibbons, H. Lü and C. N. Pope [2] studied certain harmonic forms on these manifolds and found an explicit formula for the Stenzel metrics in terms of hypergeometric functions. Earlier, T. C. Lee [3] gave an explicit formula of the Stenzel metrics for classical spaces G/K but in another vein, using the approach of G. Patrizio and P. Wong [4]. Remark also that in the case of the standard sphere \mathbb{S}^2 , the Stenzel metrics coincide with the well-known Eguchi-Hanson metrics [5]. On the other hand, and as it is well known, Stenzel metrics continue being a source of results both in physics and differential geometry. We cite here only to G. Oliveira [6] and M. Ionel and T. A. Ivey [7].

We give an *explicit* description of all complete G -invariant Ricci-flat Kähler metrics on the tangent bundle $T(G/K)$ of rank-one Riemannian symmetric spaces G/K of compact type or, equivalently, on the complexification $G^{\mathbb{C}}/K^{\mathbb{C}}$ of G/K . To this end, we use the method of our article [8], giving the result in terms of associated vector-functions (see below). It is also shown that this set of metrics contains a new family of metrics which are not $\partial\bar{\partial}$ -exact if $G/K \in \{\mathbb{C}\mathbb{P}^n, n \geq 1\}$, and coincides with the set of $\partial\bar{\partial}$ -exact Stenzel metrics for any of the latter spaces G/K .

Remark here that until now, in the case of the space $\mathbb{C}\mathbb{P}^n$ ($n \geq 1$), all known Ricci-flat Kähler metrics were Calabi metrics, so being hyper-Kählerian and thus automatically Ricci-flat (see O. Biquard and P. Gauduchon [9, 10] and E. Calabi [11]). Since by A. Dancer and M.Y. Wang [12, Theorem 1.1] any complete G -invariant hyper-Kählerian metric on $G/K = \mathbb{C}\mathbb{P}^n$ ($n \geq 2$) coincides with the Calabi metric, our new metrics are not hyper-Kählerian.

Note also, that in [12] the Kähler-Einstein metrics on manifolds of G -cohomogeneity one were classified but only under one additional assumption: It is assumed that the isotropy representation of the space G/H (see our notation below) splits into pairwise inequivalent sub-representations. This condition is crucial for the fact that the Einstein equation can be solved. But this assumption fails, for instance, for the symmetric space $\mathbb{C}\mathbb{P}^n$ ($n \geq 2$).

Let G/K be a rank-one symmetric space of a compact connected Lie group G . The tangent bundle $T(G/K)$ has a canonical complex structure J_c^K coming from the G -equivariant diffeomorphism $T(G/K) \rightarrow G^{\mathbb{C}}/K^{\mathbb{C}}$. The latter space is the above-mentioned complexification of G/K . In our paper [8] we described, for such a G/K , all G -invariant Kähler structures (\mathfrak{g}, J_c^K) which are moreover Ricci-flat on the punctured tangent bundle $T^+(G/K)$ of $T(G/K)$. This description is based on the fact that $T^+(G/K)$ is the image of $G/H \times \mathbb{R}^+$ under certain G -equivariant diffeomorphism. Here H denotes the stabilizer of any element of $T(G/K)$ in general position. Such G -invariant Kähler and Ricci-flat Kähler structures are determined completely by a unique vector-function $\mathbf{a}: \mathbb{R}^+ \rightarrow \mathfrak{g}_H$ satisfying certain conditions, \mathfrak{g}_H being the subalgebra of $\text{Ad}(H)$ -fixed points of the Lie algebra of G .

REFERENCES

- [1] Stenzel, M. Ricci-flat metrics on the complexification of a compact rank one symmetric space. *Manuscripta Math.* **80**: 151–163, 1993.
- [2] Cvetič, M., Gibbons, G.W., Lü, L., Pope, C.N. Ricci-flat metrics, harmonic forms and brane resolutions. *Comm. Math. Phys.* **232**: 457–500, 2003.
- [3] Lee, T.C. Complete Ricci-flat Kähler metric on M_I^n , M_{II}^{2n} , M_{III}^{4n} . *Pacific J. Math.* **185**(2): 315–326, 1998.
- [4] Patrizio, G., Wong, P. Stein manifolds with compact symmetric center. *Math. Ann.* **289**: 355–382, 1991.
- [5] Eguchi, T., Hanson, A.J. Asymptotically flat self-dual solutions to Euclidean gravity. *Phys. Lett.* **B74**: 249–251, 1978.
- [6] Oliveira, G.: Calabi-Yau monopoles for the Stenzel metric. *Comm. Math. Phys.* **341**(2), 699–728 (2016)
- [7] Ionel, M., Ivey, T.A.: Austere submanifolds in CP^n . *Comm. Anal. Geom.* **24**(4), 821–841 (2016)
- [8] Gadea, P.M., González-Dávila, J.C., Mykytyuk, I.V. Invariant Ricci-flat Kähler metrics on tangent bundles of compact symmetric spaces. <http://arxiv.org/abs/1903.00044>
- [9] Biquard, O., Gauduchon, P. Hyperkähler metrics on cotangent bundles of Hermitian symmetric spaces, in: J. E. Andersen, J. Dupont, H. Pedersen, A. Swann (Eds.), *Geometry and Physics*, Vol. 184, *Lect. Notes Pure Appl. Math.*, Marcel Dekker, pp. 287–298, 1996.
- [10] Biquard, O., Gauduchon, P. Géométrie hyperkählérienne des espaces hermitiens symétriques complexifiés. *Séminaire de Théorie spectrale et Géométrie* **16**: 127–173, 1998.
- [11] Calabi, E. Métriques kählériennes et fibrés holomorphes. *Ann. Sci. École Norm. Sup. (4)* **12**: 269–294, 1979.
- [12] Dancer, A., Wang, M.Y. Kähler-Einstein metrics of cohomogeneity one. *Math. Ann.* **312**(3): 503–526, 1998.

I. Kuznietsova, S. Maksymenko <i>On the squares of diffeomorphisms of surfaces</i>	40
K. Matsumoto <i>A recurrent (CHR)-curvature tensor field in a trans-Sasakian manifold</i>	41
N. Mazurenko, M. Zarichnyi <i>Spaces of probability measures and box dimension</i>	43
L. Michalak <i>Framed cobordism of systems of submanifolds in the classification of free quotients</i>	44
F. G. Mukhamadiev <i>The density and the τ-placed of the N_τ^φ-nucleus of a space X</i>	45
I. V. Mykytyuk <i>Ricci-flat Kähler metrics on tangent bundles of rank-one symmetric spaces of compact type</i>	47
A. Y. Narmanov, A. N. Zoyidov <i>On the group of isometries of foliated manifolds</i>	49
I. Petkov, V. Ryazanov <i>On boundary behavior by prime ends of solutions to Beltrami equations</i>	50
L. Plachta <i>Some topological obstructions for strong coloring of uniform hypergraphs</i>	51
S. Maksymenko, E. Polulyakh <i>On quotient spaces and their spaces of continuous maps</i>	53
A. Prishlyak, A. Prus <i>Topology of flows with collective dynamics on surfaces</i>	54
V.M. Prokip <i>On similarity of two families of matrices over a field</i>	56
A. M. Romaniv, N. S. Dzhaliuk <i>Some connections between invariant factors of matrix and its submatrix</i>	57
Y. Sachkov <i>Conjugate time in sub-Riemannian problem on Cartan group</i>	58
A. Sadullaev, F. Mukhamadiev <i>The density and the local density of the space of permutation degree</i>	59
U. Samanta <i>A short note on Hurewicz and \mathcal{L}-Hurewicz properties in topological spaces</i>	60
O. Sazonova <i>About one class of Continual distributions with screw modes</i>	62
A. Serdyuk, T. Stepanyuk <i>Asymptotically best possible Lebesgue inequalities on the classes of generalized Poisson integrals</i>	64
A. Ya. Narmanov, X. F. Sharipov <i>Differential invariants of transformations group</i>	66
S. Som, A. Bera, L. K. Dey <i>Some remarks on the Metrizable of F-metric spaces</i>	67
V. Starodub, R. Skuratovskii <i>Triangle Cubics and Conics</i>	69
T. P. Mokritskaya, A. V. Tushev <i>On some fractal-based estimations of subsidence volume for various types of soils</i>	71
Jun Ueki <i>Non-acyclic SL_2-representations of twist knots and non-trivial L-invariants</i>	73