

International
Online Conference



**Algebraic
and Geometric
Methods of Analysis**

dedicate to the memory
of Yuriy Trokhymchuk
(17.03.1928-18.12.2019)

May 25-28, 2021
Odesa, Ukraine

LIST OF TOPICS

- Topological methods in analysis
- Geometric problems of complex and mathematical analysis
- Algebraic methods in geometry
- Differential geometry in the whole
- Geometry and topology of differentiable manifolds
- General and algebraic topology
- Geometric and topological methods in natural sciences

ORGANIZERS

- Ministry of Education and Science of Ukraine
- Odesa National Academy of Food Technologies
- Institute of Mathematics of the National Academy of Sciences of Ukraine
- Taras Shevchenko National University of Kyiv
- International Geometry Center
- Kyiv Mathematical Society

SCIENTIFIC COMMITTEE

Drozd Yu.

(Kyiv, Ukraine)

Maksymenko S.

(Kyiv, Ukraine)

Plaksa S.

(Kyiv, Ukraine)

Prishlyak A.

(Kyiv, Ukraine)

Bakhtin O.

(Kyiv, Ukraine)

Balan V.

(Bucharest, Romania)

Banakh T.

(Lviv, Ukraine)

Borysenko O.

(Kharkiv, Ukraine)

Cherevko Ye.

(Odesa, Ukraine)

Fedchenko Yu.

(Odesa, Ukraine)

Karlova O.

(Chernivtsi, Ukraine)

Kiosak V.

(Odessa, Ukraine)

Konovenko N.

(Odessa, Ukraine)

Lyubashenko V.

(Kyiv, Ukraine)

Matsumoto K.

(Yamagata, Japan)

Mormul P.

(Warsaw, Poland)

Mykhailyuk V.

(Chernivtsi, Ukraine)

Plachta L.

(Krakov, Poland)

Pokas S.

(Odessa, Ukraine)

Sabitov I.

(Moscow, Russia)

Savchenko O.

(Kherson, Ukraine)

Sergeeva A.

(Odessa, Ukraine)

Shelekhov A.

(Tver, Russia)

Zarichnyi M.

(Lviv, Ukraine)

ADMINISTRATIVE COMMITTEE

- Egorov B., chairman, rector of the ONAFT;
- Povarova N., deputy chairman, Pro-rector for scientific work of the ONAFT;
- Mardar M., Pro-rector for scientific-pedagogical work and international communications of the ONAFT;
- Fedosov S., Director of the International Cooperation Center of the ONAFT;
- Kotlik S., Director of the P.M. Platonov Educational-scientific institute of computer systems and technologies "Industry 4.0";
- Lishchenko N. Dean of faculty of the computer systems and automation ONAFT

ORGANIZING COMMITTEE

Cherevko Ye.
Eftekharinasab K.
Fedchenko Yu.
Feshchenko B.
Khohlyk O.

Klishchuk B.
Konovenko N.
Kravchenko A.
Kuznietsova I.
Maksymenko S.

Osadchuk E.
Plakosh A.
Prus A.
Sergeeva A.
Soroka Yu.

Integration over non-rectifiable curves: spirals of high torsion

David B. Katz

(Moscow, Udaltsova, 16, 119415)

E-mail: katzdavid89@gmail.com

The presentation is devoted to some new results related to the classical problem of complex analysis - the Riemann boundary value problem. We, however, consider it on a non-rectifiable curve and pay considerable attention to the geometric features of the curve. In this case, we will talk about spirals, which we will classify depending on the speed of it's twisting. We consider the geometric properties of arcs in the neighbourhood of their ends.

Let us consider first a well known boundary-value problem of complex analysis – so called Riemann problem on a simple Jordan arc (see, for instance, [1, 6, 3]).

Given a directed Jordan arc Γ in the complex plane \mathbb{C} with beginning and end at points a_1 and a_2 relatively, and two functions $G(t), g(t), t \in \Gamma$. Find all holomorphic in $\overline{\mathbb{C}} \setminus \Gamma$ functions $\Phi(z)$ which vanish at ∞ and have boundary limits $\Phi^\pm(t)$ from the left and from the right correspondingly at any point $t \in \Gamma \setminus \{a_1, a_2\}$ such that

$$\Phi^+(t) = G(t)\Phi^-(t) + g(t), \quad t \in \Gamma \setminus \{a_1, a_2\}. \quad (1)$$

In addition, the desired function Φ must satisfy certain conditions on its growth at the end points $a_{1,2}$.

In numerous classical works (see [1, 6, 3] and many other) the solutions of this problem are obtained in terms of Cauchy type integrals. Particularly, a solution of so called jump problem

$$\Phi^+(t) = \Phi^-(t) + g(t), \quad t \in \Gamma \setminus \{a_1, a_2\}, \quad (2)$$

on piecewise - smooth arc Γ is representable as the Cauchy type integral

$$\Phi(z) = \frac{1}{2\pi i} \int_{\Gamma} \frac{g(t) dt}{t - z}, \quad z \notin \Gamma. \quad (3)$$

As a result, in all classical works on this problem the boundary Γ is assumed rectifiable, although the formulation of the problem does not imply this restriction. It keeps the sense for non-rectifiable arcs, too. The Riemann boundary-value problem for non-rectifiable boundaries was solved first in the papers [4, 5, 6, 7].

We introduce the concept of torsion of arc Γ [8]. The torsion of arc Γ at point $a_j, j = 1, 2$ is a value

$$\tau_j := \inf \left\{ p > 0 : \iint |K_{\Gamma}(z)|^{1/p} dx dy < \infty \right\},$$

where integral is taken over a neighborhood of a_j . If $\tau_j < 1$, then we say that the arc has moderate torsion at point a_j , otherwise its torsion is high. This value characterizes the rate of curling of Γ around the point a_j .

As it appears, the torsion concept is very closely connected with the integrator concept that we introduced earlier - and this allows us to get some new results in this geometric terms.

REFERENCES

- [1] Gakhov F.D. *Boundary value problems*. Oxford : Pergamon Press, 1966.
- [2] Muskhelishvili N.I. *Singular Integral Equations*. Dordrecht : Springer, 1958.
- [3] Jian-Ke Lu. *Boundary Value Problems for Analytic Functions*. Singapore : World Scientific Publishing Company, 1994.
- [4] Boris Kats. Riemann boundary-value problem on non-rectifiable Jordan curve. *Doklady AN USSR*, 267(4) : 789–792, 1982.
- [5] Boris Kats. Riemann problem on closed Jordan curve. *Izvestiya vuzov. Matem.*, 4 : 68–80, 1983.

- [6] Boris Kats. Riemann problem on non-closed Jordan curve. *Izvestiya vuzov. Matem.*, 12 : 30–38, 1983.
- [7] Boris Kats. On inhomogeneous Riemann problem on non-closed Jordan curve. *Trudy semin. po kraevym zadacham*, 21 : 87–93, 1984.
- [8] David B. Katz, Boris Kats Torsions and integrations. *Complex Variables and Elliptic Equations* , 2021.

I. Gelbukh <i>Realization of a graph as the Reeb graph of a Morse, Morse–Bott or round function</i>	38
N. Glazunov <i>Foliations in moduli spaces of abelian varieties and bounded global G-shtukas</i>	40
A. Glebova <i>Geometry of curves in three-dimensional space and invariants of nonlinear differential equations of the second order</i>	41
P. Petrenko, A. Andreev <i>On Orthosymmetric n-morphisms</i>	42
M. Golasinski <i>On homotopy nilpotency of Moore space</i>	43
E. Afanas'eva, A. Golberg <i>Metric viewpoint in mapping theory between Riemannian manifolds</i>	45
S. V. Gryshchuk <i>Monogenic functions with values in commutative complex algebras of the second rank with unity and generalized biharmonic equation with non-zero simple characteristics</i>	46
A. Guale, J. Vielma <i>The Collatz conjecture from an algebraic point of view</i>	47
O. Gutik, P. Khylynskyi <i>On the monoid of cofinite partial isometries of positive integers with a bounded finite noise</i>	48
O. Gutik, M. Mykhalenych <i>On some generalization of the bicyclic monoid</i>	50
Y. Gutman <i>Variational principles for metric mean dimension</i>	51
O. Ye. Hentosh, A. K. Prykarpatski <i>A generalized Lie-algebraic approach to constructing of integrable fractional dynamical systems</i>	52
L. Yanovich, M. Ignatenko <i>On the solution of separate differential equations with variational derivatives of the first and second orders</i>	54
Sh. Sh. Ismoilov <i>Special mean and total curvature of a dual surface in isotropic spaces</i>	57
D. Jumaev, A. Zaitov <i>A topological transformation group of a hyperspace</i>	59
D. A. Juraev <i>On the Carleman function for matrix factorizations of the Helmholtz equation</i>	62
A. Kachurovskii <i>Measuring the rate of convergence in the Birkhoff ergodic theorem</i>	64
O. Kadubov's'kyi <i>Enumeration of topologically non-equivalent functions with one degenerate saddle critical point on triple torus</i>	65
O. Karupu <i>On some properties of moduli of smoothness of conformal mapping of simply connected domains</i>	68
D. Katz <i>Integration over non-rectifiable curves: spirals of high torsion</i>	70
A. A. Katz <i>On real Σ^*-algebras of operators</i>	72
L. Fardigola, K. Khalina <i>On controllability problems for the heat equation with variable coefficients controlled by the Dirichlet boundary condition on a half-axis</i>	73