



International
Scientific Conference

Algebraic and Geometric Methods of Analysis

26-30 may 2020
Odesa, Ukraine

LIST OF TOPICS

- Algebraic methods in geometry
- Differential geometry in the large
- Geometry and topology of differentiable manifolds
- General and algebraic topology
- Dynamical systems and their applications
- Geometric problems in mathematical analysis
- Geometric and topological methods in natural sciences

ORGANIZERS

- Ministry of Education and Science of Ukraine
- Odessa National Academy of Food Technologies
- Institute of Mathematics of the National Academy of Sciences of Ukraine
- Odessa I. I. Mechnikov National University
- Taras Shevchenko National University of Kyiv
- International Geometry Center
- Kyiv Mathematical Society

PROGRAM COMMITTEE

Chairman: Prishlyak A. (<i>Kyiv, Ukraine</i>)	Kiosak V. (<i>Odesa, Ukraine</i>)	Pokas S. (<i>Odesa, Ukraine</i>)
Balan V. (<i>Bucharest, Romania</i>)	Kirillov V. (<i>Odesa, Ukraine</i>)	Polulyakh E. (<i>Kyiv, Ukraine</i>)
Banakh T. (<i>Lviv, Ukraine</i>)	Konovenko N. (<i>Odesa, Ukraine</i>)	Sabitov I. (<i>Moscow, Russia</i>)
Bolotov D. (<i>Kharkiv, Ukraine</i>)	Lyubashenko V. (<i>Kyiv, Ukraine</i>)	Savchenko A. (<i>Kherson, Ukraine</i>)
Borysenko O. (<i>Kharkiv, Ukraine</i>)	Maksymenko S. (<i>Kyiv, Ukraine</i>)	Sergeeva A. (<i>Odesa, Ukraine</i>)
Cherevko Ye. (<i>Odesa, Ukraine</i>)	Matsumoto K. (<i>Yamagata, Japan</i>)	Shelekhov A. (<i>Tver, Russia</i>)
Fedchenko Yu. (<i>Odesa, Ukraine</i>)	Mormul P. (<i>Warsaw, Poland</i>)	Volkov V. (<i>Odesa, Ukraine</i>)
Karlova O. (<i>Chernivtsi, Ukraine</i>)	Mykhailyuik V. (<i>Chernivtsi, Ukraine</i>)	Zarichnyi M. (<i>Lviv, Ukraine</i>)
	Plachta L. (<i>Krakov, Poland</i>)	

ADMINISTRATIVE COMMITTEE

- Egorov B., chairman, rector of the ONAFT;
- Povarova N., deputy chairman, Pro-rector for scientific work of the ONAFT;
- Mardar M., Pro-rector for scientific-pedagogical work and international communications of the ONAFT;
- Fedosov S., Director of the International Cooperation Center of the ONAFT;
- Kotlik S., Director of the P.M. Platonov Educational-scientific institute of computer systems and technologies "Industry 4.0";
- Svytyy I., Dean of the Faculty of Computer Systems and Automation.

ORGANIZING COMMITTEE

Kirillov V.
Konovenko N.
Fedchenko Yu.

Maksymenko S.
Cherevko Ye.

Osadchuk E.
Prus A.

ІНТЕРНАЦІОНАЛЬНИЙ ЦЕНТР СПІВРОБІТНИЦТВА

Uniqueness of pretangent spaces at infinity

Viktoriia Bilet

(IAMM of the NASU, Dobrovolskogo Str. 1, Sloviansk, 84100, Ukraine)
E-mail: viktoriiabilet@gmail.com

Oleksiy Dovgoshey

(IAMM of the NASU, Dobrovolskogo Str. 1, Sloviansk, 84100, Ukraine)
E-mail: oleksiy.dovgoshey@gmail.com

The pretangent spaces to an unbounded metric space (X, d) at infinity are, by definition, some limits of rescaling metric spaces $(X, \frac{1}{r_n}d)$ with r_n tending to infinity. The Gromov–Hausdorff convergence and the asymptotic cones are most often used for construction of such limits. Both of these constructions are based on high–order logic abstractions (see, e.g., [5]), which makes them very powerful, but it does away the constructiveness. In [2, 3] we present and consider a more constructive approach to building an asymptotic structure of unbounded metric spaces at infinity.

The object of the present abstract is metric spaces having with unique pretangent spaces at infinity. The theorem below gives the necessary and sufficient conditions under which an unbounded metric space X has an unique pretangent space $\Omega_{\infty, \tilde{r}}^X$ at infinity for every fixed scaling sequence \tilde{r} .

We will denote by \mathfrak{A} the class of spaces having the property

$$((X, d) \in \mathfrak{A}) \Leftrightarrow ((X, d) \text{ is unbounded and } \forall \tilde{r} \text{ there is a unique } \Omega_{\infty, \tilde{r}}^X).$$

Let (X, d) be a metric space and let $p \in X$. For each pair of nonempty sets $C, D \subseteq X$ write

$$\Delta(C, D) := \sup\{d(x, y) : x \in C, y \in D\}.$$

In addition we define, for every $\varepsilon \in (0, 1)$, the set S_ε^2 as

$$S_\varepsilon^2 := \left\{ (r, t) \in Sp^2(X) : r \neq 0 \neq t \text{ and } \left| \frac{r}{t} - 1 \right| \geq \varepsilon \right\},$$

where $Sp^2(X)$ is the Cartesian square of $Sp(X) = \{d(x, p) : x \in X\}$.

Theorem 1. [4] *Let (X, d) be an unbounded metric space and let p be a point of X . Then $(X, d) \in \mathfrak{A}$ if and only if the following conditions are satisfied simultaneously.*

(1) *The limit relations*

$$\lim_{k \rightarrow 1} \limsup_{r \rightarrow \infty} \frac{\text{diam}(A(p, r, k))}{r} = \lim_{r \rightarrow \infty} \frac{\text{diam}(S(p, r))}{r} = 0$$

hold, where $r \in (0, \infty)$, $k \in [1, \infty)$, $A(p, r, k)$ is the annulus $\{x \in X : \frac{r}{k} \leq d(x, p) \leq rk\}$ and $S(p, r)$ is the sphere $\{x \in X : d(x, p) = r\}$.

(2) *Let $\varepsilon \in (0, 1)$. If $((q_n, t_n))_{n \in \mathbb{N}} \subset S_\varepsilon^2$ and*

$$\lim_{n \rightarrow \infty} q_n = \lim_{n \rightarrow \infty} t_n = \infty,$$

and there is

$$\lim_{n \rightarrow \infty} \frac{q_n}{t_n} = c_0 \in [0, \infty],$$

then there exists a finite limit

$$\lim_{n \rightarrow \infty} \frac{\Delta(S(p, q_n), S(p, t_n))}{|q_n - t_n|} := \kappa_0.$$

It can be proved that conditions (1) and (2) from Theorem 1 are mutually independent in the sense that no one of them implies the another.

Corollary 2. *Let (X, d) be a metric space and let Y be an unbounded subspace X . Then $(X, d) \in \mathfrak{A}$ implies $(Y, d) \in \mathfrak{A}$.*

Consider, for simplicity, logarithmic spirals having the pole at 0. The polar equation of these spirals is

$$\rho = kb^\varphi, \quad (1)$$

where k and b are constants, $k \in (0, \infty)$ and $b \in (0, 1) \cup (1, \infty)$. The rotation of the polar axis on the angle $\varphi_1 = -\frac{\ln k}{\ln b}$ transforms (1) to the form

$$\rho = b^\varphi. \quad (2)$$

Let us denote by \mathbb{S}^* the set of all complex numbers lying on spiral (2) and let

$$\mathbb{S} = \mathbb{S}^* \cup \{0\},$$

i.e., \mathbb{S} is the closure of \mathbb{S}^* in the complex plane \mathbb{C} . In the following theorem we consider \mathbb{S} as a metric space with the usual metric $d(z, w) = |z - w|$.

Theorem 3. [4] *Each pretangent space to (\mathbb{S}, d) at infinity is unique and isometric to \mathbb{S} .*

These results have natural infinitesimal analogs (see [1]).

REFERENCES

- [1] F. Abdullayev, O. Dovgoshey, M. Küçükaslan. Metric spaces with unique pretangent spaces. Conditions of the uniqueness. *Ann. Acad. Sci. Fern. Math.*, 36(2): 353 – 392, 2011.
- [2] V. Bilet, O. Dovgoshey. Asymptotic behavior of metric spaces at infinity. *Dopov. Nac. akad. nauk Ukr.*, 9: 9 – 14, 2017.
- [3] V. Bilet, O. Dovgoshey. Finite asymptotic clusters of metric spaces. *Theory and Applications of Graphs*, 5(2): 1 – 33, 2018.
- [4] V. Bilet, O. Dovgoshey. Uniqueness of pretangent spaces to metric spaces at infinity. *Ukrainian Math. Bulletin*, 16(1): 28 – 58, 2019.
- [5] J. Roe. *Lectures on Coarse Geometry*, University Lecture Series 31, Providence, RI: American Mathematical Society, 2003.

Зміст

G. M. Abdishukurova, A. Ya. Narmanov <i>On the geometry of submersions</i>	3
B. N. Apanasov <i>Hyperbolic 4-cobordisms, Teichmuller spaces and quasiregular mappings in space</i>	5
Aymaz I., Kansu M. <i>Representation of gravi-electromagnetism using matrix algebra</i>	7
V. Bilet, O. Dovgoshey <i>Uniqueness of pretangent spaces at infinity</i>	9
Bolotov D. <i>Foliations of 3-manifolds with small module of mean curvature</i>	10
Bolsinov A. V. <i>On integrability of geodesic flows on 3-dimensional manifolds</i>	11
E. Bonacci <i>Algebraic and geometric questions about the EM helix</i>	12
Borisenko A. A., Sukhorebska D. D. <i>Geodesics on regular tetrahedra in spherical space</i>	13
F. Bulnes <i>Motivic hypercohomology solutions in field theory II</i>	14
I. Denega <i>Estimate of maximum of the products of inner radii of mutually non-overlapping domains</i>	16
A. Dudko, V. Pivovarchik <i>Inverse problem for tree of Stieltjes strings</i>	18
N. Glazunov <i>Formal groups and algebraic cobordism</i>	20
O. Gok <i>A note on tensor product of Archimedean vector lattices</i>	22
E. Gül. <i>Trace Regularization Problem On a Banach Space</i>	24
O. Ye. Hentosh <i>Centrally extended generalization of the superconformal loop Lie algebra and integrable heavenly type systems on supermanifolds</i>	26
B. Hladysh, A. Prishlyak <i>Structure of functions on an oriented 2-manifold with the boundary</i>	28
D. A. Juraev <i>The Cauchy problem for matrix factorizations of the Helmholtz equation in a multidimensional bounded domain</i>	30
A. Kachurovskii <i>Fejer Sums and the von Neumann Ergodic Theorem</i>	31
B. N. Khabibullin, R. R. Muryasov <i>Mixed volumes/areas and distribution of zeros of holomorphic functions</i>	33
B. Klishchuk, R. Salimov <i>On the behavior at infinity of one class of homeomorphisms</i>	35
A. Kravchenko, S. Maksymenko <i>Automorphisms of cellular divisions of 2-sphere induced by functions with isolated critical points</i>	37
A. Kushner, E. Kushner, R. Matviichuk <i>Dynamics and exact solutions of linear PDEs</i>	39