

International scientific conference
**«Algebraic and geometric
methods of analysis»**

Book of abstracts



May 30 - June 4, 2018,
Odesa,
Ukraine

<https://www.imath.kiev.ua/~topology/conf/agma2018>

Application the p -adic topology on $\mathbb{Z}$ for study determinants of infinite order with integer coefficients

Vsevolod Martseniuk

(Kharkiv Gymnasium №47, 7 Kosmonavtov str., Kharkiv, 61000, Ukraine)

E-mail: martsenyukvv@gmail.com

Anastasiya Bondarenko

(V.N.Karazin Kharkiv National University, School Mathematics and Computer Sciences, 4 Svobody Sq., Kharkiv, Ukraine)

E-mail: nasya95bon@gmail.com

Sergiy Gefter

(V.N.Karazin Kharkiv National University, School Mathematics and Computer Sciences, 4 Svobody Sq., Kharkiv, Ukraine)

E-mail: gefter@karazin.ua

Let p be a prime and $\mathbb{Z}_p$ is the ring of p -adic integers with the standard topology (see [1], §3). Let A be an infinite matrix with integer coefficients:

$$A = \begin{pmatrix} a_{11} & a_{12} & a_{13} & \dots \\ a_{21} & a_{22} & a_{23} & \dots \\ a_{31} & a_{32} & a_{33} & \dots \\ \vdots & \vdots & \vdots & \ddots \end{pmatrix}.$$

We say that $\det A$ converges in the p -adic sense if there exists such number $d \in \mathbb{Z}_p$ that

$$\det A_n := \begin{vmatrix} a_{11} & a_{12} & a_{13} & \dots & a_{1n} \\ a_{21} & a_{22} & a_{23} & \dots & \\ a_{31} & a_{32} & a_{33} & \dots & \\ \vdots & \vdots & \vdots & \ddots & \\ a_{n1} & a_{n2} & a_{n3} & \dots & a_{nn} \end{vmatrix} \longrightarrow d$$

in the ring $\mathbb{Z}_p$.

We consider some applications of infinite order determinants with integer coefficients to study of implicit linear difference equations over the ring $\mathbb{Z}$. The next main results are obtained.

Theorem 1. *Let $a, b \in \mathbb{Z}, b \neq 0, b \neq \pm 1$, a, b are coprime and p is a divisor of b . The difference equation*

$$bx_{n+1} = ax_n + f_n, \quad n = 0, 1, 2, \dots \quad (1)$$

for an arbitrary sequence f_n of integers has the unique solution over the ring $\mathbb{Z}_p$. Moreover, this solution can be find by using a version of Cramer's rule for solving infinite linear systems.

Theorem 2. *Let $a, b, f \in \mathbb{Z}, b \neq 0, b \neq \pm 1$ and a, b are coprime. The difference equation*

$$bx_{n+1} = ax_n + f, \quad n = 0, 1, 2, \dots \quad (2)$$

has an integer-valued solution if and only if $b - a$ is a divisor of f . In this case the unique solution of Equation (2) can be find by using a version of Cramer's rule for solving infinite linear systems.

REFERENCES

- [1] Z. I. Borevich and I. R. Shafarevich, *Number Theory*, Academic Press Inc., 1966.

V. Lomadze <i>A purely algebraic construction of Schwartz distributions</i>	34
S. Maksymenko <i>Deformation of functions on orientable surfaces by symplectic diffeomorphisms</i>	36
Martseniuk V., Bondarenko A., Gefter S. <i>Application the p-adic topology on Z for study determinants of infinite order with integer coefficients</i>	37
K. Matsumoto <i>Warped product semi-slant submanifolds in locally conformal Kaehler manifolds, II</i>	38
Mormul P. <i>What points in Goursat Monster Tower are strongly nilpotent</i>	39
Mukhamadiev F. G. <i>The local density and the local weak density of N_T^φ-kernel of a topological spaces</i>	40
Tetiana V. Obikhod <i>Topological invariants and microscopic quantum description</i>	41
A. Ozkan <i>On the misconceptions of 10th grade students about analytical geometry</i>	42
Parasyuk I. O. <i>Hyperbolic quasiperiodic motion of charged particle on 2-sphere</i>	43
E. Petrov <i>Representing trees of finite ultrametric spaces and weak similarities</i>	45
Prishlyak A., Hladysh B. <i>Functions with three critical points on closed non-oriented 3-manifolds</i>	47
V.M. Prokip <i>A note on similarity of matrices</i>	49
Romakina L.N. <i>Inversion with respect to an elliptic cycle of a hyperbolic plane of positive curvature</i>	51
Romaniv A. M. <i>On the relationship between the Smith normal forms of matrices and of their least common multiple</i>	53
Ryazanova O. <i>Estimates for the surface with given average curvature</i>	54
Samokhvalov S. E. <i>Kinematic renormalization of energy in the gravity</i>	55
Savchenko A. <i>Fuzzy metrization of the spaces of idempotent measures</i>	56
Sazonova O. <i>General form of the Maxwellian distribution with arbitrary density</i>	57
Skuratovskii R. <i>The commutator and centralizer of Sylow subgroups of alternating and symmetric groups, its minimal generating set</i>	58
Sokhatsky F., Krainichuk H. <i>Semi-lattice of varieties of quasigroups with linearity</i>	59
Salimov R., Stefanchuk M. <i>Asymptotic behavior of solutions to a nonlinear Beltrami equation</i>	61
Mokritskaya T. P., Tushev A. V. <i>On fractal characteristics of the micro-aggregate structure of loess soils</i>	62
Vasilchenko A. N. <i>Spaces of primitive elements in dual modules over Steenrod algebra</i>	64